

# FISKARS®



## The gardening catalogue

2018



**Over 365 years of history are proof of our commitment to quality. Fiskars products are ingeniously functional, uniquely user-friendly, impressively long-lasting and aesthetically iconic.**

# The gardening catalogue



## 4 New products & innovations

## 6 Wood Preparation

Axes · Wood handling tools · Saws · Other tools · Knives

## 25 Soil Care

### Shovels, spades & forks

Xact™ · Ergonomic™ · SmartFit™ · Light · Solid™

### QuikDrill™

### Soil care tools

Ergonomic™ · Light · Solid™

### Nursery tools

Premium Planters™ · Solid™ ·

## 42 Lawn Care

### Rakes

Ergonomic™ · Light · Solid™

### Grass shears

PowerLever™ · Servo-System™ · SmartFit™

### Weed pullers

Xact™ · SmartFit™ · Light

## Solid™ yard tools

Reel Mowers StaySharp™

## 54 Plant Care

### Classic scissors

Pruners PowerGear™X ·

Pro Pruners ·

PowerLever™ · SmartFit™ ·

Fingerloop ·

SingleStep™ · Inspiration™

Loppers PowerGear™X ·

PowerGear™ · SmartFit™ ·

SingleStep™

Hedge shears PowerGear™X ·

PowerLever™ · SmartFit™ ·

SingleStep™

Tree pruners PowerGear™X

## 81 Fiskars QuikFit™

Click & Reach · Click & Clean ·

Click & Grow

## 92 Fiskars Car tools

SnowXpert™ · Solid™

## 97 Fiskars Snow tools

SnowXpert™ · Snow Light

## 103 Yard Cleaning

Light · Solid™

## 105 Accessories

## 107 Children's Tools

## 111 Hardware

## 119 Watering

## 137 Maintenance & Spare Parts

**Please note!** All the measurements portrayed in the catalogue are products in packaging measurements.


# New products



**New innovative  
companions  
for 2018**







#### NEW FOR 2018

**Our novelties will tackle anything, whether it's thick or thin branches, bushes or trees. These guys will work with you, side by side, for years to come.**

#### PowerGear™X

The PowerGear™X series grows with two new tree cutters. These guys will help you reach all those tall branches, and also help you trim underneath bushes with minimal effort. Market leading performance. Ultra durable yet light weight. Effortless to use.

#### Yard care novelties

Both the Fiskars and Light Yard care brooms are great for sweeping all kinds of pavements around the home. Lightweight and easy to use.

#### Watering

Whether you want to water your garden or rinse your garden furniture, Fiskars new high quality watering tools make your tasks easy.

#### Handles

Whether you are shuffling snow, digging a hole or lifting hay with a fork, the new & improved handles in Fiskars soil care and snow tools are designed to make all tasks easier by providing a perfect, comfortable grip and improved user ergonomics .



# Wood preparation





**Axes p.10**

**WoodXpert™ p.13**

**Saws p.16**

**Other tools p.18**

**Knives p.20**

# X-Series axes

Fiskars next generation splitting axes are a true evolution of craftsmanship –purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.

## KEY BENEFITS

- ✓ 35 degree convex cutting bevel angle for splitting axes - the convex shape strengthens the edge to make it less sensitive to fracture
- ✓ Perfect balance between head and shaft for the most safe, comfortable and efficient swing
- ✓ Ultralight and durable FiberComp™ shaft minimizes fatigue and makes the axe virtually unbreakable
- ✓ Optimal anti-shock surface structure ensures a comfortable, firm grip
- ✓ Hooked end of the handle prevents the axe from slipping out of the hand
- ✓ Comes with a plastic sheath for easy carrying and storage





## CHOPPING AXES



<3-10cm

X5

XXS



<3-10cm

X7


XS



<3-10cm

X10

S



10-20cm

X11

S



20-30cm

X17

M



20-30cm

X21

L



>30cm

X25

XL



>30cm

X27

XXL



## Chopping vs. splitting

### Chopping axes

Fiskars next generation chopping axes serve all manner of woodwork, chopping, carpentry and pruning. The range delivers a wonderful package of minimalist design and sharp-edged functionality with the right fit for all wood preparation tasks. Pick your size according to the task at hand.

The Universal Chopping Axe's thin, wide edge ensures a clean, easy cut in fresh, resinous wood, like spruce or pine.

### Splitting axes

Fiskars next generation splitting axes are a true evolution of craftsmanship –purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.

The Splitting Axe features a unique cutting edge that easily slices into the wood, which the thick axe blade then pushes apart.

# Splitting axes

## Fiskars Splitting Axe S\_X11

Art. no. **1015640**

EAN



Height: <b>33 mm</b>	Length: <b>490 mm</b>	Width: <b>198 mm</b>	Weight: <b>1180 g</b>	Retail box: <b>4</b>
----------------------	-----------------------	----------------------	-----------------------	----------------------

Old art. no. **122443**reddot design award  
winner 2015

- For small size logs <20 cm
- New 3D grip for increased safety and swing speed
- New extended 25 years warranty via web registration
- Product: 33 x 444 x 151 mm



## Fiskars Splitting Axe M\_X17

Art. no. **1015641**


EAN



Height: <b>38 mm</b>	Length: <b>650 mm</b>	Width: <b>208 mm</b>	Weight: <b>1630 g</b>	Retail box: <b>4</b>
----------------------	-----------------------	----------------------	-----------------------	----------------------

Old art. no. **122463**reddot design award  
winner 2015

- For medium size logs >20 cm
- New 3D grip for increased safety and swing speed
- New extended 25 years warranty via web registration
- Product: 36 x 600 x 165 mm



## Fiskars Splitting Axe L\_X21

Art. no. **1015642**

EAN



Height: <b>38 mm</b>	Length: <b>760 mm</b>	Width: <b>208 mm</b>	Weight: <b>1740 g</b>	Retail box: <b>2</b>
----------------------	-----------------------	----------------------	-----------------------	----------------------

Old art. no. **122473**reddot design award  
winner 2015

- New model with perfected balance and high swing speed
- For medium size logs 20- 30cm
- New 3D grip for increased safety and swing speed
- New extended 25 yrs warranty via web registration
- Product: 36 x 709 x 165 mm



## Fiskars Splitting Axe XL\_X25

Art. no. **1015643**

EAN



Height: <b>45 mm</b>	Length: <b>774 mm</b>	Width: <b>235 mm</b>	Weight: <b>2540 g</b>	Retail box: <b>2</b>
----------------------	-----------------------	----------------------	-----------------------	----------------------

Old art. no. **122483**reddot design award  
winner 2015

- For large logs > 30 cm
- New 3D grip for increased safety and swing speed
- New extended 25 years warranty via web registration
- Product: 40 x 725 x 191 mm



## Fiskars Splitting Axe XXL\_X27

Art. no. **1015644**


EAN




Height: <b>45 mm</b>	Length: <b>964 mm</b>	Width: <b>235 mm</b>	Weight: <b>2700 g</b>	Retail box: <b>2</b>
----------------------	-----------------------	----------------------	-----------------------	----------------------

Old art. no. **122503**reddot design award  
winner 2015

- For extra large logs > 30 cm
- New 3D grip for increased safety and swing speed
- New extended 25 years warranty via web registration
- Product: 40 x 925 x 191 mm





# Chopping axes

<b>Fiskars Camping Axe XXS_X5</b>					Art. no. <b>1015617</b>	EAN  6 4 1 1 5 0 1 2 1 1 2 3 1
Height: <b>32 mm</b>	Length: <b>260 mm</b>	Width: <b>172 mm</b>	Weight: <b>630 g</b>	Retail box: <b>4</b>	Old art. no. <b>121123</b>	




- For kindling small wood for camp fire
- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 28 x 231 x 130 mm




<b>Fiskars Chopping Axe XS_X7</b>					Art. no. <b>1015618</b>	EAN  6 4 1 1 5 0 1 2 1 4 2 3 2
Height: <b>34 mm</b>	Length: <b>399 mm</b>	Width: <b>172 mm</b>	Weight: <b>700 g</b>	Retail box: <b>4</b>	Old art. no. <b>121423</b>	



- For chopping small wood for camp fire
- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 33 x 354 x 130 mm





<b>Fiskars Chopping Axe S_X10</b>					Art. no. <b>1015619</b>	EAN  6 4 1 1 5 0 1 2 1 4 4 3 0
Height: <b>34 mm</b>	Length: <b>473 mm</b>	Width: <b>194 mm</b>	Weight: <b>1100 g</b>	Retail box: <b>4</b>	Old art. no. <b>121443</b>	



- For carpentry and small wood work
- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 33 x 445 x 152 mm




<b>Xsharp™ Axe and Knife Sharpener</b>					Art. no. <b>1000601</b>	EAN  6 4 1 1 5 0 1 2 0 7 4 0 1
Height: -	Length: <b>165 mm</b>	Width: <b>35 mm</b>	Weight: <b>90 g</b>	Retail box: <b>4</b>	Old art. no. <b>120740</b>	



- For regular maintenance of your Fiskars axes and knives, 2 sharpeners in 1.
- Ceramic grind stone has clearly indicated cutting grooves for either axes or knives.
- Optimised sharpening angle for Fiskars blades with easy-to-use mechanism.
- Convenient portability.

## Choose the right size for you



### 1. LENGTH TEST

Grab the axe on the shaft below the blade. Turn the shaft towards your armpit and if the end of the shaft reaches the armpit the axe is too long

### 2. WEIGHT TEST

Grab the axe at the end of the shaft and let the head rest towards the ground. Lift the head up with a wrist turn close to your body as pivotal point (axe is vertically in your hand at the end of the movement). If you can't lift the axe this way, the axe is too heavy.

# Wood preparation workflow

Fiskars has a broad range of tools covering the wood handling and preparation tasks from felling the tree to lighting up the fire.

## 1 Felling a tree



## 2 Cutting branches



## 3 Sawing logs



## 4 Moving logs



## 5 Arranging logs



## 6 Lifting logs



## 7 Splitting logs



## 8 Kindling firewood





## WoodXpert™ wood handling tools

Fiskars WoodXpert™ wood handling tools are designed for axe owners. These new tools support tasks related to firewood preparation. The design emphasis in these new tools has been placed on lightweight performance, excellent grip and superior tool blade development.

<b>WoodXpert™ XA3 Brush hook</b>					Art. no. <b>1003609</b>	EAN  6 4 1 1 5 0 1 2 6 0 0 4 8
Height: -	Length: <b>505 mm</b>	Width: <b>120 mm</b>	Weight: <b>450 g</b>	Retail box: <b>4</b>	Old art. no. <b>126004</b>	




- For cutting smaller branches from trees.
- For clearing weeds and brush in gardens and forest.
- For stripping bark from logs.

<b>WoodXpert™ XA23 Brush hook</b>					Art. no. <b>1003621</b>	EAN  6 4 1 1 5 0 1 2 6 0 0 5 5
Height: -	Length: <b>950 mm</b>	Width: <b>132 mm</b>	Weight: <b>990 g</b>	Retail box: <b>2</b>	Old art. no. <b>126005</b>	




- For cutting larger branches from trees / logs.
- For clearing saplings and brush in gardens and forest.
- For light chopping and splitting of firewood.

<b>WoodXpert™ XA2 Sappie</b>					Art. no. <b>1003622</b>	EAN  6 4 1 1 5 0 1 2 6 0 0 6 2
Height: -	Length: <b>348 mm</b>	Width: <b>160 mm</b>	Weight: <b>310 g</b>	Retail box: <b>4</b>	Old art. no. <b>126006</b>	



- For carrying and lifting smaller logs.
- For handling and arranging wood piles.
- For turning of small logs.

<b>WoodXpert™ XA22 Sappie</b>					Art. no. <b>1003623</b>	EAN  6 4 1 1 5 0 1 2 6 0 0 7 9
Height: -	Length: <b>785 mm</b>	Width: <b>230 mm</b>	Weight: <b>880 g</b>	Retail box: <b>2</b>	Old art. no. <b>126007</b>	



- For lifting and transporting larger logs.
- For handling and arranging wood piles.
- For turning of large logs.

**WoodXpert™ Log Hook**Art. no. **1003624**

EAN

Height: - Length: **303 mm** Width: **193 mm** Weight: **610 g** Retail box: **4**Old art. no. **126021**

- For lifting and transporting logs.
- For handling and arranging logs.
- For assisting tree felling.
- With plastic sheath for easy carrying with Tool Belt.

**WoodXpert™ Log Tongs**Art. no. **1003625**

EAN

Height: - Length: **303 mm** Width: **180 mm** Weight: **780 g** Retail box: **4**Old art. no. **126031**

- For lifting and transporting logs.
- For handling and arranging logs.
- With plastic sheath for easy carrying with Tool Belt.

**WoodXpert™ Tool Belt**Art. no. **1003626**

EAN

Height: - Length: **570 mm** Width: **90 mm** Weight: **320 g** Retail box: **4**Old art. no. **126009**

- Tool belt to attach Log hook and Log tongs.
- Ergonomic support for the back.
- Firm double tightening.

**WoodXpert™ Felling lever - M**Art. no. **1015438**

EAN

Height: - Length: **700 mm** Width: **86 mm** Weight: **2160 g** Retail box: **4**Old art. no. **126051**

- For steering the medium size tree felling.
- Additionally functions as support for sawing and carrying logs.
- Blade drop forged hardened steel.
- Shaft sturdy, but light weight special steel.
- Fast lock interface for log hook and tongs interoperation.

**WoodXpert™ Felling lever - L**Art. no. **1015439**

EAN

Height: - Length: **1150 mm** Width: **86 mm** Weight: **2867 g** Retail box: **2**Old art. no. **126052**

- For steering the large size tree felling.
- Additionally functions as support for sawing and carrying logs.
- Blade drop forged hardened steel.
- Shaft sturdy, but light weight special steel.
- Fast lock interface for log hook and tongs interoperation.

# Fiskars saws

To make sawing as easy as possible you need a reliable saw suitable for the task. That is why we have developed a variety of saws. We have saws for cutting stems and thicker branches and saws with curved noses which enable cutting in hard to reach or difficult positions.

## Xtract™ Saws

Fiskars Xtract™ range features a unique retractable mechanism and integrated belt clip making them safe to carry and easy to store. The blades made of hardened steel ensures long lifetime and sharpness for the saw. SoftGrip™ handle with finger guard ensures a safe grip.



## Fixed blade saws

Fiskars fixed blade saws feature highly efficient tooth profile enabling fast and accurate sawing. The impulse hardened blades stays sharper for longer. SoftGrip™ ergonomic curved handle with finger guard ensures a safe & comfortable grip.



## Bow Saws

Fiskars bow saws are excellent for sawing stems and thicker branches. Curved nose enables cutting in hard to reach or difficult positions. Cuts on both the push and pull stroke.



## Saws

Fiskars saws have teeth designed especially for wood. They allow you to prune branches and clear foliage in difficult positions safely with a lightweight saw. Fiskars Xtract™ range features a unique retractable mechanism and integrated belt clip making them safe to carry and easy to store.

! See high reach telescopic saws on page 75 (Tree pruners) & page 81 (QuikFit telescopic saw)

## Xtract saws

### Xtract™ Garden Saw (L) SW75

Height: -	Length: <b>330 mm</b>	Width: <b>65 mm</b>	Weight: <b>230 g</b>	Retail box: <b>4</b>
-----------	-----------------------	---------------------	----------------------	----------------------

Art. no. **1000614**Old art. no. **123880**

EAN



6 4 1 1 5 0 1 2 3 8 8 0 1



- Efficiently saws fresh wood.
- Blade length 255 mm.
- Large cutting capacity up to 220 mm.

### Xtract™ Garden Saw (S) SW73

Height: -	Length: <b>223 mm</b>	Width: <b>50 mm</b>	Weight: <b>130 g</b>	Retail box: <b>4</b>
-----------	-----------------------	---------------------	----------------------	----------------------

Art. no. **1000613**Old art. no. **123870**

EAN



6 4 1 1 5 0 1 2 3 8 7 0 2



- Efficiently saws fresh wood.
- Blade length 160 mm.
- Cutting capacity 120 mm.



## Fixed blade saws

### Professional Pruning Saw, SW-330

Height: **98 mm** Length: **490 mm** Width: - Weight: **230 g** Retail box: **4**

Art. no. **1020199**

Old art. no. **123330**

EAN



- Lightweight 230 g
- Professional quality carbon steel blades, SK5
- Blades for every task
- Balanced weight distribution.
- Hollow grinded blade.
- Integrated sawdust removal teeth.
- Sturdy grip with Softgrip™
- Easy maintainability. All parts are replaceable.

### Professional Pruning Saw, SW-240

Height: **98 mm** Length: **400 mm** Width: - Weight: **200 g** Retail box: **4**

Art. no. **1020200**

Old art. no. **123240**

EAN



- Lightweight 200 g
- Professional quality carbon steel blades, SK5
- Blades for every task
- Balanced weight distribution.
- Hollow grinded blade.
- Integrated sawdust removal teeth.
- Sturdy grip with Softgrip™
- Easy maintainability. All parts are replaceable.

### Fixed Blade Saw SW84

Height: - Length: **500 mm** Width: **95 mm** Weight: **300 g** Retail box: **4**

Art. no. **1001620**

Old art. no. **123840**

EAN



- Blade length 320 mm.
- Cutting capacity 150 mm.

**!** Replacement parts available for professional pruning saws & bow saws. See pages 137 - 138.

## Bow saws

### 21" Bow Saw SW30

Height: - Length: **625 mm** Width: **215 mm** Weight: **500 g** Retail box: **4**

Art. no. **1001621**

Old art. no. **124800**

EAN



- Excellent for sawing 10-20 cm stems and branches.

**24" Bow Saw SW31**Art. no. **1000615**Height: - Length: **700 mm** Width: **215 mm** Weight: **650 g** Retail box: **4**Old art. no. **124810**

EAN



5 702264 141011



- Excellent for sawing >20 cm stems and thicker branches.

**Splitting wedges****Helicoidal Splitting Wedge SAFE-T**Art. no. **1001615**Height: - Length: **240 mm** Width: **65 mm** Weight: **2400 g** Retail box: **4**Old art. no. **120021**

EAN



6 411501 200211



- No need to use several wedges as the helicoidal shape makes the wood burst more easily.
- Highly resistant polyamide striking surface and metal ring.
- Reduced risk of flying particles therefore no need to maintain the striking surface to remove burring.

**Spare Striking Surface**Art. no. **1001616**Height: - Length: **65 mm** Width: **65 mm** Weight: **300 g** Retail box: **1**Old art. no. **122151**

EAN



3 157331 221516



- Replaceable striking surface for Helicoidal Splitting Wedge SAFE-T (article No. 1001615).

**Splitting Wedge Drop Forged**Art. no. **1001614**Height: - Length: **153 mm** Width: **45 mm** Weight: **700 g** Retail box: **4**Old art. no. **120010**

EAN



6 411503 164603



- For splitting difficult logs.
- Forged steel.
- Light weight.

**Splitting Wedge Helicoidal**Art. no. **1000600**Height: - Length: **200 mm** Width: **40 mm** Weight: **2200 g** Retail box: **4**Old art. no. **120020**

EAN



- No need to use several wedges as the helicoidal shape makes the wood burst more easily.
- No material fragmentation due to rounded head.
- Anti-return slot.
- Forged steel.

# Knives

Fiskars designs knives for a range of smaller gardening applications. Their hard-wearing blades are made from stainless steel to ensure years of trouble-free operation.

## Utility Knife K40

Height: -	Length: <b>225 mm</b>	Width: <b>50 mm</b>	Weight: <b>70 g</b>	Retail box: <b>4</b>	Art. no. <b>1001622</b>	EAN 6 4 1 1 5 0 2 8 7 0 6 2 8
					Old art. no. <b>125860</b>	



• Design Zentrum  
Nordrhein Westfalen  
Design-Innovation

- General purpose knife with plastic sheath.
- Ergonomically designed plastic handle with finger guard.
- Blade of stainless steel, length 100 mm.

## Hooked Grafting Knife K62

Height: -	Length: <b>170 mm</b>	Width: <b>23 mm</b>	Weight: <b>50 g</b>	Retail box: <b>4</b>	Art. no. <b>1001623</b>	EAN 8 0 0 8 2 2 0 0 2 0 4 7 3
					Old art. no. <b>125880</b>	



- For taking cuttings, picking flowers and vegetables and cutting laterals.
- Handle of recycled plastic attached with a brass rivet.
- Blade of stainless steel.

## Grafting Pen Knife K60

Height: -	Length: <b>168 mm</b>	Width: <b>23 mm</b>	Weight: <b>50 g</b>	Retail box: <b>4</b>	Art. no. <b>1001625</b>	EAN 8 0 0 8 2 2 0 0 2 0 4 9 7
					Old art. no. <b>125900</b>	



- Ideal for grafting and making wooden canes for holding small plants and bushes.
- Handle of recycled plastic attached with a brass rivet.
- Blade of stainless steel.

## Mineral Wool Knife K20

Height: -	Length: <b>420 mm</b>	Width: <b>38 mm</b>	Weight: <b>160 g</b>	Retail box: <b>4</b>	Art. no. <b>1001626</b>	EAN 6 4 1 1 5 0 2 8 7 9 0 2 7
					Old art. no. <b>125870</b>	



- For cutting mineral wool.
- Ergonomically designed handle with finger guard.
- Blade of stainless steel.







# Soil care



Spades, shovels  
& forks **p.25**  
QuikDrill™ **p.31**

Soil care tools **p.33**  
Nursery tools **p.37**

# Fiskars digging

To make digging as easy as possible you need a reliable spade suitable for the task. That is why we have developed a variety of spades and shovels. We have spades for digging in hard soil, for edging and planting. We also have light spades for soft soil. We have shovels for ideal for moving sand, soil and snow. In short, we have a shedload of shovels and spades.



## Xact™

Gardening is a demanding pastime. Fiskars Xact™ digging tools will give you that extra push to take your gardening to a whole new level and make digging a truly pleasurable experience. Fiskars Xact digging tools fit you – combining the right length with lightweight material and durability.

## SmartFit™

This range of telescopic tools have an adjustable shaft length which extends from 1050 mm to 1250 mm. The spades, shovels and forks can be comfortably used at a range of heights. The welded connection between the blade and the shaft ensures rigid durability and longevity while its boron steel construction adds extra strength.

## Ergonomic™

Beautifully designed and realised, Fiskars Ergonomic™ is a perfect selection of tools for digging, shoveling and composting – all for the most discerning gardener. The spades, shovels and forks have angled shafts and handles for reduced strain on back, hand and wrist. The plastic coating on the shafts maximise grip and comfort.

## Light

The new beautiful Light range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks. Fiskars versatile range of soil rakes, hoes and cultivators are ideal for weed control, moving soil, creating narrow furrows for planting seeds and bulbs and even harvesting root crops.



# Xact™ spades & shovels

## Xact™ Digging Spade Medium

Height: - Length: **1080 mm** Width: **190 mm** Weight: **1800 g** Retail box: **4**

Art. no. **1003684**

Old art. no. **131482**

EAN



6 4 1 1 5 0 1 3 1 4 8 2 6



reddot design award  
best of the best 2014

- For digging in hard and rocky soil.
- Pointed sharpened blade with step board cuts easily through soil layers and roots.
- For height of users 160 - 175 cm.

## Xact™ Digging Spade Large

Height: - Length: **1200 mm** Width: **190 mm** Weight: **1900 g** Retail box: **4**

Art. no. **1003683**

Old art. no. **131483**

EAN



6 4 1 1 5 0 1 3 1 4 8 3 3



reddot design award  
best of the best 2014

- Best tool for digging in hard and rocky soil.
- Pointed sharpened blade with step board cuts easily through soil layers and roots.
- For height of users 175 - 195 cm.

## Xact™ Edging & Planting Spade Medium

Height: - Length: **1080 mm** Width: **190 mm** Weight: **1850 g** Retail box: **4**

Art. no. **1003682**

Old art. no. **131480**

EAN



6 4 1 1 5 0 1 3 1 4 8 0 2



reddot design award  
best of the best 2014

- For normal garden soil (grass layer, soft ground).
- Sharpened blade with step board is perfect for digging planting holes, edging beds and removing small amounts of soil.
- For height of users 160 - 175 cm.

## Xact™ Edging & Planting Spade Large

Height: - Length: **1200 mm** Width: **190 mm** Weight: **1950 g** Retail box: **4**

Art. no. **1003681**

Old art. no. **131481**

EAN



6 4 1 1 5 0 1 3 1 4 8 1 9



reddot design award  
best of the best 2014

- For normal garden soil (grass layer, soft ground).
- Sharpened blade with step board is perfect for digging planting holes, edging beds and removing small amounts of soil.
- For height of users 175 - 195 cm.

## Xact™ Shovel Large

Height: - Length: **1300 mm** Width: **224 mm** Weight: **2100 g** Retail box: **4**

Art. no. **1003688**

Old art. no. **132480**

EAN



6 4 1 1 5 0 1 3 2 4 8 0 1



reddot design award  
best of the best 2014

- The shovel with broad scoop is best for lifting and moving bulk materials, such as soil, sand or snow.
- Easier shovelling due to upright shaft.

# Xact™ forks

## Xact™ Soil Work Fork Medium

Height: -	Length: <b>1080 mm</b>	Width: <b>184 mm</b>	Weight: <b>1700 g</b>	Retail box: <b>4</b>
-----------	------------------------	----------------------	-----------------------	----------------------

Art. no. **1003686**

EAN



Old art. no. **133480**



- For loosening and turning over compacted soil.
- Move easily tuft of grass when bordering or planting or use for aerating the lawn and raking out stones and weeds.
- For height of users 160 - 175 cm.
- The tines can be pushed easily into the ground not stopped by stones, weed or roots.

## Xact™ Soil Work Fork Large

Height: -	Length: <b>1200 mm</b>	Width: <b>184 mm</b>	Weight: <b>1800 g</b>	Retail box: <b>4</b>
-----------	------------------------	----------------------	-----------------------	----------------------

Art. no. **1003685**

EAN



Old art. no. **133481**



- For loosening and turning over compacted soil.
- Move easily tuft of grass when bordering or planting or use for aerating the lawn and raking out stones and weeds.
- For height of users 175 - 195 cm.
- The tines can be pushed easily into the ground not stopped by stones, weed or roots.

## Xact™ Composting Fork Large

Height: -	Length: <b>1200 mm</b>	Width: <b>184 mm</b>	Weight: <b>1700 g</b>	Retail box: <b>4</b>
-----------	------------------------	----------------------	-----------------------	----------------------

Art. no. **1003687**

EAN



Old art. no. **133482**




- For lifting, turning and spreading loose material like grass, hay, weeds, leaves, compost and other garden waste.
- The thin and sharp tines that are more widely spaced and curved than in a garden fork can be pushed easily into the compost and chunky material doesn't get stuck in the tines.
- Upright shaft helps the composting task.
- Suitable for all heights of users.

# Xact™

Extreme durability with lightweight, ergonomic design. Right fit to user with Medium and Large shaft size.

- Easy penetration to soil
- Ergonomic shaft angle
- Sharp, light and durable EaseCut™ Blade
- Nonslip step board
- Lightweight material structure, FiberComp™ Shaft



**Less strain on back**  
Medium and Large length



**Control and comfort**  
Push-Pull handle for better control, SoftGrip™ material.

# Ergonomic™ spades & forks

## Ergonomic™ Garden Spade Pointed

Height: -	Length: 1250 mm	Width: 195 mm	Weight: 2100 g	Retail box: 4	Art. no. <b>1001568</b>	EAN 5 905568 020024
					Old art. no. <b>131410</b>	



- For digging in hard and rocky soil.
- Easy penetration through soil layers and roots.
- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.

## Ergonomic™ Garden Spade Rounded

Height: -	Length: 1250 mm	Width: 195 mm	Weight: 2100 g	Retail box: 4	Art. no. <b>1001411</b>	EAN 5 905568 020017
					Old art. no. <b>131400</b>	



- For digging planting holes, edging beds and removing small amounts of soil.
- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.

## Ergonomic™ Shovel

Height: -	Length: 1320 mm	Width: 235 mm	Weight: 2100 g	Retail box: 4	Art. no. <b>1001579</b>	EAN 5 905568 020031
					Old art. no. <b>132400</b>	



- For moving sand, gravel and other bulky materials.
- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.

## Ergonomic™ Garden Fork

Height: -	Length: 1210 mm	Width: 210 mm	Weight: 2200 g	Retail box: 4	Art. no. <b>1001413</b>	EAN 5 905568 902108
					Old art. no. <b>133400</b>	



- For loosening and turning over compacted soil.
- Use also for aerating the lawn or rake out stones and weeds.
- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.

## Ergonomic™ Compost Fork

Height: -	Length: 1370 mm	Width: 220 mm	Weight: 1850 g	Retail box: 4	Art. no. <b>1001695</b>	EAN 5 905568 902504
					Old art. no. <b>133430</b>	



- For lifting, turning and spreading loose material like grass, hay, weeds, leaves, compost and other garden waste.
- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.



# SmartFit™ spades & forks

## SmartFit™ Digging Spade

Art. no. **1001567**

EAN



Height: -

Length: **1054 mm**Width: **190 mm**Weight: **1620 g**Retail box: **4**Old art. no. **131300**

6 4 1 1 5 0 3 2 5 2 5 5 3



- Pointed sharpened cutting edge for digging in hard soil and to mix and turn soil.
- Length of spade can be adjusted between 1054-1250 mm.

## SmartFit™ Edging & Planting Spade

Art. no. **1000620**

EAN



Height: -

Length: **1054 mm**Width: **191 mm**Weight: **1660 g**Retail box: **4**Old art. no. **131310**

6 4 1 1 5 0 3 2 5 0 5 5 9



- Straight, sharpened cutting edge for edging and planting.
- For various gardening tasks like planting, edging or shovelling.
- Length of spade can be adjusted between 1054-1250 mm.

## SmartFit™ Fork

Art. no. **1000630**

EAN



Height: -

Length: **1165 mm**Width: **193 mm**Weight: **1530 g**Retail box: **4**Old art. no. **133320**

6 4 1 1 5 0 3 3 5 2 5 5 0



- For loosening and turning over compacted soil.
- Move easily tuft of grass when bordering or planting.
- Use also for aerating the lawn or rake out stones and weeds.
- Length of fork can be adjusted between 1165-1256 mm.

## SmartFit™

### ADJUSTABLE SHAFT LENGTH

- For various tasks from planting and digging to shovelling
- Maximize comfort with right tool length for user and task
- Easy locking mechanism
- Large D-shaped handle fits all hand sizes
- Rigid connections and durable boron steel material



## Light spades & forks

### Light Digging Spade

Height: 10 mm Length: 1050 mm Width: 17 mm Weight: 1120 g Retail box: 4

Art. no. 1019605

Old art. no. 131513

EAN



- Light digging spade with pointed cutting edge for easier penetration to soil.
- For light digging in normal to loose garden soil.

### Light Planting Spade

Height: 10 mm Length: 1050 mm Width: 17 mm Weight: 1220 g Retail box: 4

Art. no. 1019601

Old art. no. 131503

EAN



- Light planting spade for digging planting holes, edging beds and removing small amounts of soil.
- Ideal for light digging in normal to loose garden soil.

### Light Shovel

Height: 20 mm Length: 1230 mm Width: 24 mm Weight: 1220 g Retail box: 4

Art. no. 1019602

Old art. no. 132503

EAN



- Light shovel with broad scoop is an easy to handle tool for lifting and moving soil, mulch or snow.

### Light Digging Fork

Height: 100 mm Length: 1130 mm Width: 180 mm Weight: 1230 g Retail box: 4

Art. no. 1019603

Old art. no. 133503

EAN




- Light fork for loosening and turning over soil, harvesting and composting.

## Light digging tools

The Garden Light range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks. Versatile range of soil rakes, hoes and cultivators are ideal for weed control, moving soil, creating narrow furrows for planting seeds and bulbs and even harvesting root crops.

- The oval-shaped aluminium shaft is lightweight
- Optimal anti-shock surface structure ensures a comfortable, firm grip
- Plastic sleeve maximises the grip and insulates from cold



# Solid™ spades & shovels

## Solid™ Spade Pointed

Height: - Length: **1170 mm** Width: **180 mm** Weight: **1820 g** Retail box: **4**

Art. no. **1003455**

Old art. no. **131413**

EAN



- All-purpose digging spade with pointed and sharpened cutting edge.

## Solid™ Spade Rounded

Height: - Length: **1170 mm** Width: **180 mm** Weight: **1890 g** Retail box: **4**

Art. no. **1003456**

Old art. no. **131403**

EAN



- Straight and sharpened cutting edge for cutting grass and moving and mixing soil.

## Solid™ Shovel

Height: - Length: **1270 mm** Width: **235 mm** Weight: **2150 g** Retail box: **4**

Art. no. **1003457**

Old art. no. **132403**

EAN



- For moving sand, gravel and other bulky materials.

## Solid™ Fork

Height: - Length: **1220 mm** Width: **170 mm** Weight: **2100 g** Retail box: **4**

Art. no. **1003458**

Old art. no. **133423**

EAN



- For loosening and turning over compacted soil.
- Use also for aerating the lawn or raking out stones and weeds.

## Solid™ Compost Fork

Height: - Length: **1270 mm** Width: **220 mm** Weight: **1800 g** Retail box: **4**

Art. no. **1003459**

Old art. no. **133433**

EAN



- For lifting, turning and spreading loose material like grass, hay, weeds, leaves, compost and other garden waste.

# QuikDrill™

Fiskars QuikDrill™ makes many garden tasks simpler, easier and more precise. It is a handy tool for many uses when planting flowers or bushes or when aerating and fertilizing the ground.

## QuikDrill™ Garden Drill S

Height: -	Length: <b>1110 mm</b>	Width: <b>500 mm</b>	Weight: <b>2100 g</b>	Retail box: <b>2</b>	Art. no. <b>1000636</b>	EAN 5 905568 347107
					Old art. no. <b>134710</b>	



- For planting bulbs, aerating and fertilizing soil and installing small posts.
- Drilling hole width 100 mm.

## QuikDrill™ Garden Drill M

Height: -	Length: <b>1110 mm</b>	Width: <b>500 mm</b>	Weight: <b>2300 g</b>	Retail box: <b>2</b>	Art. no. <b>1000638</b>	EAN 5 905568 347206
					Old art. no. <b>134720</b>	



- For perennial planting, aerating and mixing compost and installing medium sized posts.
- Drilling hole width 150 mm.

## QuikDrill™ Garden Drill L


Height: -	Length: <b>1110 mm</b>	Width: <b>500 mm</b>	Weight: <b>2500 g</b>	Retail box: <b>2</b>	Art. no. <b>1000640</b>	EAN 5 905568 347305
					Old art. no. <b>134730</b>	



- For planting hedges and trees, drilling compost holes and installing large posts.
- Drilling hole width 200 mm.

# Fiskars Cultivating tools

Fiskars cultivating tools are designed for comfortable planting, cultivating, weeding and seeding. The three different ranges offer a wide selection of tools from weeders to rose rakes.



## **ERGONOMIC™**

A perfect selection of ergonomic tools for the most discerning gardener.



## **LIGHT**

A beautiful, versatile range of light tools.



## **SOLID**

All-purpose, basic garden tools.

## Ergonomic™ soil care tools

### Ergonomic™ Soil Rake

Height: -	Length: <b>1540 mm</b>	Width: <b>358 mm</b>	Weight: <b>660 g</b>	Retail box: <b>4</b>	Art. no. <b>1000652</b>	EAN 5 905568 800244
					Old art. no. <b>135510</b>	



- Soil rake for preparing planting beds, smoothing down soil and other general gardening tasks like raking branches or spreading mulch.

### Ergonomic™ Cultivator

Height: -	Length: <b>1630 mm</b>	Width: <b>125 mm</b>	Weight: <b>640 g</b>	Retail box: <b>4</b>	Art. no. <b>1001301</b>	EAN 7 317791 116661
					Old art. no. <b>136510</b>	



- Cultivator for loosening and tilling the soil before planting.

### Ergonomic™ Hoe

Height: -	Length: <b>1550 mm</b>	Width: <b>185 mm</b>	Weight: <b>530 g</b>	Retail box: <b>4</b>	Art. no. <b>1000675</b>	EAN 7 317791 112601
					Old art. no. <b>136500</b>	




- Hoe for removing weeds between rows of plants or breaking up the soil for cultivation.

## Fiskars Ergonomic™

Beautifully designed and realised, Fiskars Ergonomic™ is a perfect selection of tools for cultivating, planting, digging, shovelling and composting – all for the most discerning gardener.

- The drop-shaped shaft enables ergonomic working positions
- Hanging loop for easy storage
- Plastic coating on shaft to maximize grip and comfort
- Boron steel material for strength



## Light soil care tools

This beautiful range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks.

### Light Weeding Knife

Height: **25 mm** Length: **1600 mm** Width: **80 mm** Weight: **490 g** Retail box: **4**

Art. no. **1019604**

Old art. no. **136543**

EAN



- Light weeding knife for removing weeds from patio or tight places in vegetable or flower bed.
- Steel head in knife shape to fit in tight places.

### Light Weeder

Height: **55 mm** Length: **1720 mm** Width: **150 mm** Weight: **680 g** Retail box: **4**

Art. no. **1019610**

Old art. no. **136563**

EAN



- Light weeder for removing weeds from vegetable bed and larger areas.
- Sharp steel blade to remove weeds.

### Light Cultivator

Height: **110 mm** Length: **1640 mm** Width: **90 mm** Weight: **625 g** Retail box: **4**

Art. no. **1019611**

Old art. no. **136573**

EAN



- Light cultivator for loosening compacted soil.
- Sharp hardened steel prongs to penetrate soil easily when cultivating.

### Light Hoe

Height: **95 mm** Length: **1580 mm** Width: **185 mm** Weight: **490 g** Retail box: **4**

Art. no. **1019609**

Old art. no. **136553**

EAN



- Light hoe for removing weeds and loosening soil in vegetable bed and under plants.
- Steel blade with sharp edges to reach under plants.



# Solid™ soil care tools

## Solid™ Cultivator

Height: - Length: **1640 mm** Width: **117 mm** Weight: **660 g** Retail box: **4**

Art. no. **1016034**

Old art. no. **135714**

EAN



- Easy to use tool for loosening and tiling the soil before planting.
- Hardened carbon steel blade.
- Aluminium handle.

## Solid™ Hoe

Height: - Length: **1550 mm** Width: **185 mm** Weight: **620 g** Retail box: **4**

Art. no. **1016035**

Old art. no. **135713**

EAN



- Efficient tool for removing weeds between rows of plants or breaking up the soil for cultivation.
- Hardened carbon steel blade.

## Solid™ Soil Rake

Height: - Length: **1540 mm** Width: **358 mm** Weight: **670 g** Retail box: **4**

Art. no. **1016036**

Old art. no. **135715**

EAN



- All purpose soil rake for preparing planting beds, smoothing down soil and other general gardening tasks like aking branches or spreading mulch.
- Hardened carbon steel blade.
- Aluminium handle.

# Fiskars Nursery tools

Fiskars nursery tools are ergonomically designed for comfortable planting, cultivating, weeding and seeding. They are designed with rounded edges to minimise soil and root damage.



## **PREMIUM PLANTERS**

Ergonomically designed for comfortable planting



## **SOLID**

Lightweight and rust-free nursery tools

## Premium Planters™ nursery tools

Fiskars nursery tools are ergonomically designed for comfortable planting, cultivating, weeding and seeding. They are designed with rounded edges to minimise soil and root damage.

<b>Premium Planters™ Trowel</b>					Art. no. <b>1000726</b>	EAN 6 4 1 1 5 0 1 3 7 2 0 0 0
Height: -	Length: <b>320 mm</b>	Width: <b>87 mm</b>	Weight: <b>130 g</b>	Retail box: <b>4</b>	Old art. no. <b>137200</b>	



- For planting and transplanting in hard ground.

<b>Premium Planters™ Transplanter</b>					Art. no. <b>1000727</b>	EAN 6 4 1 1 5 0 1 3 7 2 1 0 9
Height: -	Length: <b>334 mm</b>	Width: <b>70 mm</b>	Weight: <b>120 g</b>	Retail box: <b>4</b>	Old art. no. <b>137210</b>	



- For planting and weeding in hard ground.
- Perfect for use in narrow bed layouts and on balconies.

<b>Premium Planters™ Cultivator</b>					Art. no. <b>1000728</b>	EAN 6 4 1 1 5 0 1 3 7 2 2 0 8
Height: -	Length: <b>300 mm</b>	Width: <b>80 mm</b>	Weight: <b>140 g</b>	Retail box: <b>4</b>	Old art. no. <b>137220</b>	



- For aerating and loosening soil in hard ground.

<b>Premium Planters™ Weed Fork</b>					Art. no. <b>1000729</b>	EAN 6 4 1 1 5 0 1 3 7 2 3 0 7
Height: -	Length: <b>304 mm</b>	Width: <b>78 mm</b>	Weight: <b>130 g</b>	Retail box: <b>4</b>	Old art. no. <b>137230</b>	



- For planting and weeding whilst protecting roots.

# Solid™ nursery tools

## Solid™ Planters Trowel

Height: -

Length: 291 mm

Width: 83 mm

Weight: 96 g

Retail box: 16

Art. no. 1000694

Old art. no. 137000

EAN



6 4 1 1 5 0 3 4 6 0 1 0 1



- Ideal for planting and transplanting.
- Lightweight and durable FiberComp™ material.
- Rust-proof.
- Hanging hole for easy storage.

## Solid™ Planters Transplanter

Height: -

Length: 291 mm

Width: 70 mm

Weight: 82 g

Retail box: 16

Art. no. 1000695

Old art. no. 137010

EAN



6 4 1 1 5 0 3 4 6 0 2 0 0



- Ideal for planting and weeding.
- Perfect for use in narrow bed layouts and on balconies.
- Lightweight and durable FiberComp™ material.
- Rust-proof.
- Hanging hole for easy storage.

## Solid™ Planters Cultivator

Height: -

Length: 276 mm

Width: 76 mm

Weight: 89 g

Retail box: 16

Art. no. 1001600

Old art. no. 137020

EAN



6 4 1 1 5 0 3 4 6 0 3 0 9



- Ideal for aerating and loosening soil.
- Lightweight and durable FiberComp™ material.
- Rust-proof.
- Hanging hole for easy storage.

## Solid™ Planters Weed Fork

Height: -

Length: 263 mm

Width: 78 mm

Weight: 89 g

Retail box: 16

Art. no. 1000696

Old art. no. 137030

EAN



6 4 1 1 5 0 2 4 6 0 4 0 9



- Ideal for planting and weeding whilst protecting roots.
- Lightweight and durable FiberComp™ material.
- Rust-proof.
- Hanging hole for easy storage.

## Solid™ Planters Hoe

Height: -

Length: 322 mm

Width: 199 mm

Weight: 168 g

Retail box: 16

Art. no. 1001601

Old art. no. 137040

EAN



6 4 1 1 5 0 2 4 6 0 5 0 8



- Ideal for multiple planting and weeding tasks.
- Lightweight and durable FiberComp™ material.
- Rust-proof.
- Hanging hole for easy storage.









# Lawn care



Rakes [p.42](#)

Grass shears [p.47](#)

Weedpullers [p.49](#)

Reel Mowers [p.52](#)



# Ergonomic™ rakes

## Ergonomic™ Rake for lawn and leaves

Art. no. **1000660**

Height: -

Length: **1810 mm**Width: **585 mm**Weight: **800 g**Retail box: **4**Old art. no. **135570**

EAN



- Wide rake for working on large lawn areas.
- Sturdy flexible tines with specific geometry prevents twigs and leaves from getting caught.



# Light rakes

## Light Leaf Rake

Height: - Length: **1720 mm** Width: **51 mm** Weight: **590 g** Retail box: **4**

Art. no. **1019606**

Old art. no. **135563**

EAN



- Light leaf and lawn rake for cleaning the lawn and yard.
- Sturdy and flexible tines prevent twigs and leaves from getting caught.

## Light Soil Rake

Height: **75 mm** Length: **1570 mm** Width: **360 mm** Weight: **680 g** Retail box: **4**

Art. no. **1019608**

Old art. no. **135523**

EAN



- Light soil rake for preparing planting beds, levelling soil, cleaning and spreading.
- Durable hardened head with 14 prongs for raking in larger areas.

## Light Rose Rake

Height: **60 mm** Length: **1600 mm** Width: **250 mm** Weight: **650 g** Retail box: **4**

Art. no. **1019607**

Old art. no. **135503**

EAN



- Light rose rake for cleaning and spreading soil in small spaces around salad and under plants.
- Special rake form of hardened steel to rake between and under plants.

**AL**  
Aluminium

  
SoftGrip™

### KEY BENEFITS

- ✓ Hole for easy storage
- ✓ Softgrip™ handle for optimal grip
- ✓ The oval-shaped aluminium shaft is lightweight
- ✓ Optimal anti-shock surface structure ensures a comfortable, firm grip
- ✓ Plastic sleeve maximises the grip and insulates from cold

# Solid™ rakes

## Solid™ Leaf Rake XL

Art. no. **1015645**Height: - Length: **1735 mm** Width: **646 mm** Weight: **800 g** Retail box: **5**Old art. no. **135090**

EAN



6 4 1 1 5 0 1 3 5 0 9 0 9



- Extra wide head (65cm) allows to rapidly rake large areas.
- Easier raking due to new durable aluminium shaft.
- 27 flat, rigid and curved plastic tines prevent leaves from sliding up and blocking the head.


## Solid™ Leaf Rake L

Art. no. **1003465**Height: - Length: **1710 mm** Width: **520 mm** Weight: **580 g** Retail box: **5**Old art. no. **135016**

EAN



6 4 1 1 5 0 1 3 5 0 1 6 9



- Wide rake for working on large lawn areas.
- Sturdy and flexible tines with specific geometry prevent twigs and leaves from getting caught.
- Lightweight but durable aluminium handle.


## Solid™ Leaf Rake M

Art. no. **1003464**Height: - Length: **1700 mm** Width: **415 mm** Weight: **560 g** Retail box: **5**Old art. no. **135026**

EAN



6 4 1 1 5 0 1 3 5 0 2 6 8



- Medium-sized all-purpose rake for working in smaller areas like around trees or under bushes.
- Sturdy tines work well on rooty and uneven surfaces.
- Lightweight but durable aluminium handle.


# Solid rakes

Solid Leaf and lawn rake features an impressively lightweight design that makes every stroke effortless. Durable plastic tines are great for raking up and yard cleaning in general - season after season. If raking the lawn is your goal, these garden hand tools will not let you down.



### SOLID XL

- Featuring an integral aluminium shaft and a 65 cm broad yet lightweight strong plastic head with flexible tines is deal for raking larger lawns and yards.




### SOLID L

- Wide rake for working on large lawn areas.
- Sturdy and flexible tines prevent twigs and leaves from getting caught.



### SOLID M

- Medium-sized all-purpose rake for working around trees or under bushes.
- Sturdy tines work well on rooty and uneven surfaces.



### SOLID UNIVERSAL

- For raking loose grass and branches.
- Great for preparing planting beds.
- Lightweight durable aluminium handle.

**Solid™ Universal Garden Rake**Art. no. **1003466**Height: - Length: **1640 mm** Width: **410 mm** Weight: **600 g** Retail box: **5**Old art. no. **135066**

EAN



6 4 1 1 5 0 1 3 5 0 6 6 4



- For raking long, loose grass or branches and for preparing planting beds.
- Levelling function to even the soil bed.
- Lightweight but durable aluminium handle.

**Solid™ Shaft**Art. no. **1014913**Height: - Length: **1600 mm** Width: **28 mm** Weight: **350 g** Retail box: **10**Old art. no. **135001**

EAN



6 4 1 1 5 0 1 3 5 0 0 1 5



- Lightweight and durable aluminum construction.
- Compatible with Solid rakes heads (article No. 1014914, 1014915 & 1014917).
- Spare part for rakes (article No. 1003465, 1003464 & 1003466).

**Solid™ Leaf Rake Head L**Art. no. **1014915**Height: - Length: **228 mm** Width: **520 mm** Weight: **230 g** Retail box: **10**Old art. no. **135014**

EAN



6 4 1 1 5 0 1 3 5 0 1 4 5



- Wide rake for working on large lawn areas.
- Sturdy and flexible tines with specific geometry prevent twigs and leaves from getting caught.
- Complementary to Solid Shaft (article No. 1014913).
- Spare part for rake (article No. 1003465).

**Solid™ Leaf Rake Head M**Art. no. **1014914**Height: - Length: **212 mm** Width: **415 mm** Weight: **196 g** Retail box: **10**Old art. no. **135024**

EAN



6 4 1 1 5 0 1 3 5 0 2 4 4



- Medium-sized all-purpose rake for working in smaller areas like around trees or under bushes.
- Sturdy tines work well on rooty and uneven surfaces.
- Complementary to Solid Shaft (article No. 1014913).
- Spare part for rake (article No. 1003464).

**Solid™ Universal Garden Rake**Art. no. **1014917**Height: - Length: **152 mm** Width: **410 mm** Weight: **250 g** Retail box: **10**Old art. no. **135064**

EAN



6 4 1 1 5 0 1 3 5 0 6 4 0



- For raking long, loose grass or branches and for preparing planting beds.
- Levelling function to even the soil bed.
- Complementary to Solid Shaft (article No. 1014913).
- Spare part for rake (article No. 1003466).

# Fiskars Grass shears

Fiskars Grass Shears are ergonomically designed with unique user friendly features. The ingenious Servo-System™ technology prevents the blades from jamming. The blades are made from hardened stainless steel for long durability.



**POWERLEVER™**  
Cutting head adjusts up to 270°



**SERVO-SYSTEM™**  
Cutting head adjusts up to 360°



**SERVO-SYSTEM™**  
Cutting head adjusts up to 360°

# Grass shears

<b>PowerLever™ Grass And Hedge Shear GS53</b>					Art. no. <b>1001565</b>	EAN 6 4 1 1 5 0 2 9 6 7 1 0 6
Height: -	Length: <b>899 mm</b>	Width: <b>201 mm</b>	Weight: <b>1380 g</b>	Retail box: <b>4</b>	Old art. no. <b>113710</b>	



- For cutting grass, hedges and small bushes.
- Cuts up to 10 mm at the base of the blade and reaches up to 2,5 meters.
- Cutting head adjusts up to 270°.

<b>Servo-System™ Grass Shear, Long GS46</b>					Art. no. <b>1000590</b>	EAN 6 4 1 1 5 0 1 9 6 6 9 0 2
Height: -	Length: <b>1035 mm</b>	Width: <b>240 mm</b>	Weight: <b>600 g</b>	Retail box: <b>4</b>	Old art. no. <b>113690</b>	



- For trimming lawn edges standing up.
- Cutting angle adjustable 360°.
- Ergonomic handle with finger protection.
- Servo-System™ technology prevents the blades from jamming.

<b>Servo-System™ Grass Shear GS42</b>					Art. no. <b>1000589</b>	EAN 6 4 1 1 5 0 1 9 6 6 8 0 3
Height: -	Length: <b>344 mm</b>	Width: <b>42 mm</b>	Weight: <b>260 g</b>	Retail box: <b>4</b>	Old art. no. <b>113680</b>	



- For trimming lawn edges and hedges.
- Cutting angle adjustable 360°.
- Ergonomic handle with finger protection.
- Servo-System™ technology prevents the blades from jamming.

<b>SmartFit Grass Shear GS40</b>					Art. no. <b>1023632</b>	EAN 6 4 1 1 5 0 1 1 2 0 1 0 6
Height: <b>118 mm</b>	Length: <b>345 mm</b>	Width: <b>34 mm</b>	Weight: <b>250 g</b>	Retail box: <b>5</b>	Old art. no. -	



- For trimming lawn edges and hedges.
- Cutting angle adjustable 180°.
- Ergonomic handle with finger protection.

<b>Grass Shear S50</b>					Art. no. <b>1000557</b>	EAN 6 4 1 1 5 0 1 1 1 0 9 0 9
Height: -	Length: <b>260 mm</b>	Width: <b>70 mm</b>	Weight: <b>100 g</b>	Retail box: <b>3</b>	Old art. no. <b>111090</b>	



- For trimming lawn edges and hedges.
- SoftGrip™ cover in upper handle for increased comfort.
- Precise and easy cutting thanks to adjustable blade tension and power-saving spring mechanism.

# The new and improved weed pullers

Fiskars has three weed puller models to choose from. The sturdy Xact™ with ergonomic handle design, SmartFit that fits different size users due to its adjustable shaft and the Light Series with ease of use and light aluminium construction.



**XACT™**  
Ergonomic grip design



**SMARTFIT™**  
Adjustable shaft length



**LIGHT SERIES**  
Light weight aluminium



# Weedpullers

## Xact™ Weed puller

Height: 1000 mm Length: 1000 mm Width: 30 mm Weight: 950 g Retail box: 4

Art. no. 1020126

Old art. no. 139950

EAN



- For removing any root weeds effortlessly.
- Ergonomically designed handle.

## Easy and effective weeding

1



Push the weed puller blades around the weed.

2



Press the pedal with your foot to the ground. Then remove your foot and pull the shaft.

3



Pull the weeder up and eject. Let the weeds fly.

## SmartFit™ Weed puller

Height: 1000 mm Length: 1000 mm Width: 30 mm Weight: 1250 g Retail box: 4

Art. no. 1020125

Old art. no. 139960

EAN



- For removing any root weeds ergonomically and effortlessly.
- Telescopic aluminum shaft can be adjusted between 990-1190 mm.
- Large D-shaped handle fits to all hands sizes.

## Light Weed puller

Height: 900 mm Length: 900 mm Width: 30 mm Weight: 900 g Retail box: 4

Art. no. 1020127

Old art. no. 139940

EAN



- Light Weed Puller for removing any root weeds ergonomically and effortlessly.

ADVANCED

COMFORT

# Solid™ lawn care tools

## Solid™ Lawn Edger

Height: - Length: **1090 mm** Width: **230 mm** Weight: **1850 g** Retail box: **3**

Art. no. **1011617**

Old art. no. **5371**

EAN



- Durable all steel.
- Optimal for cutting straight edges on lawn and planting beds.

## Solid™ Gripper

Height: - Length: **870 mm** Width: **240 mm** Weight: **400 g** Retail box: **5**

Art. no. **1015681**

Old art. no. **148522**

EAN



- Easy to collect debris from the ground in an ergonomic standing position.
- Rubber pads grip easily on to paper, leaves, stick and other debris.
- Steel shaft.

## Solid™ PopUp Garden Bag 56 l

Height: - Length: **Ø 400 mm** Width: **Ø 400 mm** Weight: **600 g** Retail box: **6**

Art. no. **1015646**

Old art. no. **135041**

EAN



- Ideal for collecting wet yard and garden waste like damp leaves or grass clipping.
- Height closed: 15 mm, Height open: 460 mm.

## Solid™ PopUp Garden Bag 172 l

Height: - Length: **Ø 560 mm** Width: **Ø 560 mm** Weight: **1250 g** Retail box: **6**

Art. no. **1015647**

Old art. no. **135042**

EAN



- Ideal for collecting weeds, grass clippings, other types of yard waste or even toys or laundry off the clothesline.
- Folds to 10 cm for space-saving storage.
- Internal spring pops it up for use.
- Tear- and mildew-resistant construction provides durability and easy cleaning.
- Height closed: 20 mm, Height open: 700 mm.

# Fiskars StaySharp™

The Fiskars StaySharp™ Max reel mower promotes greener, healthier lawns by cutting each blade of grass cleanly with a scissor-like action. This minimizes the lawn's moisture loss and reduces exposure to disease.



The Reel Mower lets you cut grass without noise, uncomfortable vibrations and the hazards associated with power driven rotary blades. It is one of the most environmentally friendly ways to cut your lawn.

- Long-lasting performance due to StaySharp™ cutting system using precision-ground, hardened steel blades to cut grass without touching
- Ergonomic, height-adjustable handle with padded grip for more comfort
- Forward grass discharge

# StaySharp™ Reel Mower

## StaySharp Max Reel Mower

Height: - Length: **1220 mm** Width: **610 mm** Weight: **23,50 kg** Retail box: **1**

Art. no. **1000591**

Old art. no. **113880**

EAN



- 2x more cutting power compared to standard reel mowers.
- 60% easier to push than other reel mowers.
- Cut height adjustable between 2 -10 cm.
- Compatible with grass catcher.

## StaySharp Plus Reel Mower

Height: - Length: **1220 mm** Width: **610 mm** Weight: **18,60 kg** Retail box: **1**

Art. no. **1015649**

Old art. no. **113872**

EAN



- 75% more cutting power compared to standard reel mowers.
- 40% easier to push than other reel mowers.
- Cut height adjustable between 4 -10 cm.

## StaySharp Grass Catcher

Height: - Length: **550 mm** Width: **540 mm** Weight: **1900 g** Retail box: **1**

Art. no. **1000592**

Old art. no. **113883**

EAN



- Simple tool-free assembly to Fiskars StaySharp™ Max Mower.
- Effective capacity of approximately 18 litres.
- UV and mildew resistant polyester screen and heavy duty steel frame for long lasting performance.







# Plant care







Scissors [p.57](#)

Pruners [p.60](#)

Loppers [p.67](#)

Hedge Shears [p.72](#)

Tree pruners [p.75](#)



# The icon

The iconic Classic scissors are a symbol of Fiskars and of our Finnish design heritage



## Features & benefits

### 1 Sharp blades

Specially developed blade grinding ensures high-precision cutting and keeps the blades sharp longer.

### 2 Easy cleaning

Handles are injection molded onto the blades insuring easy and hygenical cleaning.

### 3 Supreme ergonomics

Handles are designed under strong consideration of the natural movement of the hand resulting in enhanced comfort and cutting control.

### 4 Best materials

Made of the best quality materials, Classic scissors offer outstanding comfort, performance and durability.

### 5 Quality control

Each product is manually tested before leaving the factory ensuring you get only the first class scissors.



## Classic™ garden scissors

Fiskars orange handled scissors are design classics that have been popular for more than four decades. Our selection of garden scissors are excellent for precise cutting and trimming tasks. The carbon steel blades easily cut through materials from fine wire to flower stems.

### Universal Garden Scissors 24 cm S94

Height: **29 mm** Length: **248 mm** Width: **93 mm** Weight: **180 g** Retail box: **5**

Art. no. **1001538**

Old art. no. **111050A**

EAN



- For cutting flowers and plants.
- Handles made from impact-resistant PBT.

### Universal Garden Scissors 21 cm S90

Height: **21 mm** Length: **212 mm** Width: **80 mm** Weight: **80 g** Retail box: **5**

Art. no. **1001539**

Old art. no. **111040A**

EAN



- For cutting flowers and plants.
- Handles made from impact-resistant PBT.

### Universal Garden Scissors 18 cm S92

Height: **25 mm** Length: **185 mm** Width: **80 mm** Weight: **70 g** Retail box: **5**

Art. no. **1000555**

Old art. no. **111030**

EAN



- For cutting flowers and plants.
- Handles made from impact-resistant PBT.
- Serrated lower blade for better control, preventing the flower or plant from slipping forwards.

# Scissors

## Floral Scissors S28

Art. no. **1001544**Height: **20 mm**Length: **192 mm**Width: **75 mm**Weight: **60 g**Retail box: **5**Old art. no. **111010**

EAN



6 4 1 1 5 0 1 9 3 2 0 0 6



- For cutting flowers and sprouts.
- Serrated lower blade for better control, preventing the flower or plant from slipping forwards.

# Pick the right pruner



## PowerGear™ X

- Patented PowerGear™ mechanism makes cutting 3,5 times easier compared to standard mechanisms.
- Blades made from extra hard, corrosion resistant steel (CrMoV) ensures that they stay sharper longer.
- Unique rotating handle movement ensures that all fingers are used simultaneously and exert an equal but reduced pressure for maximum power and less effort on every cut.



## SmartFit™

- Optimal reach thanks to adjustable length of the handles
- Lightweight product, comfortable to use.
- Ergonomic design
- Optimally shaped to fit the hand.
- Fits your need - multi-purpose usage with adjustability of cutting capacity.
- Fits small to large hands.



## PowerLever™

- Lightweight FiberComp™ handles designed for small and medium-sized hands.
- Reduced cutting effort and ability to use all fingers simultaneously thanks to patented PowerLever™ mechanism.
- Easier cutting and cleaning due to non-stick PTFE PowerLever Pruners coating on the upper blade to reduce friction.



## Fingerloop

- Lightweight and strong FiberComp™ handles with SoftGrip™ for added comfort and safety.
- Fingers are protected by the loop in the lower handle.
- Corrosion resistant, stainless steel blades.



## SingleStep™

- Lightweight and durable handles made from polypropylene
- Comfortable grip due to sturdy handles.
- Steady cutting action due to well-balanced design.



## Pro Pruners

- Professional quality CrMoV blades.
- Easy to maintain, all parts replaceable.
- Lightweight with sturdy Softgrip™ and shock absorber.
- Handles and lock fit both left and right hand.

# PowerGear™ X pruners

Fiskars PowerGear™ is a versatile family of tools that include pruners, loppers and hedge shears to cover most of the cutting needs in the garden. The ingenious gear mechanism which boosts the power of the cut is complemented by sharp, quality steel blades and lightweight, durable FiberComp™ handles.

ADVANCED

## PowerGear™X Pruner M Bypass PX92

Art. no. **1023630**

EAN



Height: **40 mm** Length: **205 mm** Width: **69 mm** Weight: **230 g** Retail box: **4**

Old art. no. -



- For cutting of fresh branches up to Ø 20 mm.
- Unique PowerGear™ mechanism makes cutting up to 3,5 times easier vs standard mechanisms.
- Light-weight and durable FiberComp construction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance.
- Conformed SoftGrip™ handles for optimum comfort and balance.
- Optimized for small and medium hand sizes.

## PowerGear™X Pruner L Anvil PX93

Art. no. **1023629**

EAN



Height: **40 mm** Length: **215 mm** Width: **75 mm** Weight: **260 g** Retail box: **4**

Old art. no. -



- For heavy cutting of hard branches up to Ø 26 mm.
- Unique PowerGear™ mechanism makes cutting up to 3,5 times easier vs standard mechanisms.
- Light-weight and durable FiberComp construction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance.
- Conformed SoftGrip™ handles for optimum comfort and balance.
- Optimized for medium and large hand sizes.

## PowerGear™X Pruner L Bypass PX94

Art. no. **1023628**

EAN



Height: **40 mm** Length: **215 mm** Width: **75 mm** Weight: **250 g** Retail box: **4**

Old art. no. -



- For heavy cutting of fresh branches up to Ø 26 mm.
- Unique PowerGear™ mechanism makes cutting up to 3,5 times easier vs standard mechanisms.
- Light-weight and durable FiberComp construction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance.
- Conformed SoftGrip™ handles for optimum comfort and balance.
- Optimized for medium and large hand sizes.

## Anvil or bypass?



### BYPASS

Both blade and counter blade press into the wood to make a clean cut with less compression damage (cutting blade bypasses counter blade in a scissors-like action). Possible to cut close to the stem. Best suitable for fresh wood.



### ANVIL

Upper blade is forced through the wood with greater pressure as the anvil blade supports the branch and spreads the pressure until the cut is complete. Best suitable for dry or dead wood.

## Professional pruners

The Pruning Shears have been developed with professionals and are made of the the best materials. In addition, all parts are replaceable. The Pro Pruner has been designed according to the traditional form and has some special features like a wire cutter.

<b>Pruning shears, Large (PB-8)</b>					Art. no. <b>1020203</b>	EAN 6 4 1 1 5 0 1 1 1 8 7 0 7
Height: <b>210 mm</b>	Length: <b>62 mm</b>	Width: -	Weight: <b>196 g</b>	Retail box: <b>4</b>	Old art. no. <b>111870</b>	



- Professional quality CrMoV blades
- Lightweight, durable, all weather grivory handles with sturdy grip
- Left/right hand lock
- Greased cone bolt
- Sap groove

<b>Pruning shears, Medium (PB-8)</b>					Art. no. <b>1020204</b>	EAN 6 4 1 1 5 0 1 1 1 8 5 0 9
Height: <b>201 mm</b>	Length: <b>62 mm</b>	Width: -	Weight: <b>186 g</b>	Retail box: <b>4</b>	Old art. no. <b>111850</b>	



- Professional quality CrMoV blades
- Lightweight, durable, all weather grivory handles with sturdy grip
- Left/right hand lock
- Greased cone bolt
- Sap groove

<b>Pro Pruner P90</b>					Art. no. <b>1001530</b>	EAN 8 0 0 8 2 2 0 0 2 9 6 2 9
Height: <b>20 mm</b>	Length: <b>230 mm</b>	Width: <b>70 mm</b>	Weight: <b>270 g</b>	Retail box: <b>4</b>	Old art. no. <b>111960</b>	



- Blades are side supported to ensure that they stay in line when cutting thick branches up to Ø 26 mm.
- Includes a wire cutter to spare the blades.
- Adjustable tightening with nut locking ring to help ensure constantly precise cutting.

## PowerLever™ pruners

There are a multitude of different plants and tasks in the modern gardens and consequently also gardeners with day-to-day varying needs. Fiskars PowerLever™ range of two pruners and one hedge shear offers a neat ergonomic package of cutting power. Lightweight FiberComp™ bodies are complemented by sharp cutting blades.

### PowerLever™ Pruner Bypass P54

Art. no. **1001531**

EAN



Height: **24 mm**

Length: **173 mm**

Width: **66 mm**

Weight: **130 g**

Retail box: **4**

Old art. no. **111340**



reddot design award  
winner 2002



fenniprize  
good design grows global  
HONORARY MENTION

- For easy cutting twigs and branches up to Ø 20 mm.
- Ultra light weight and operation due to the FiberComp™ construction and the PowerLever™ mechanism.
- Fits especially smaller hand sizes.

## SmartFit™ pruner

SmartFit™ pruner optimizes the combination of cutting speed and branch thickness.

### SmartFit™ Pruner Bypass P68

Art. no. **1001424**

EAN



Height: **20 mm**

Length: **208 mm**

Width: **70 mm**

Weight: **190 g**

Retail box: **4**

Old art. no. **111610**



reddot design award  
winner 2013

- Multi-purpose pruner enables quick snipping of thinner branches as well as cutting of thicker branches up to Ø 24 mm.
- Safety in use and storage due to the convenient locking mechanism accessible with one hand.
- Comfortable SoftGrip™ handles.

## Fingerloop pruners

Fiskars Fingerloop range of two pruners and one snip offer a neat and ergonomic way to prune branches and perform basic cutting tasks without excessive hand strain. The signature loop handle engages the power of all fingers in the cut while the SoftGrip™ inlays give an extra level of comfort for extended work in the garden when pruning.

### Fingerloop Universal Snip SP45

Height: **24 mm** Length: **218 mm** Width: **76 mm** Weight: **160 g** Retail box: **4**

Art. no. **1001533**

Old art. no. **111450**

EAN



- Designed for multiple cutting tasks like cutting steel, plastics, tubes, ropes or hoses up to Ø 20 mm.
- The Fingerloop protects fingers and keeps the pruner in hand comfortably.

NOTE! Not for cutting branches in garden.

### Fingerloop Pruner Bypass P44

Height: **24 mm** Length: **201 mm** Width: **76 mm** Weight: **150 g** Retail box: **4**

Art. no. **1001534**

Old art. no. **111440**

EAN



- For cutting fresh wood up to Ø 20 mm.
- The Fingerloop protects fingers and keeps the pruner in hand comfortably.
- Easier cutting and cleaning due to non-stick coating on the upper blade.

### Fingerloop Pruner Anvil P43

Height: **24 mm** Length: **188 mm** Width: **76 mm** Weight: **150 g** Retail box: **4**

Art. no. **1001535**

Old art. no. **111430**

EAN



- For cutting dry and hard wood up to Ø 20 mm.
- The Fingerloop protects fingers and keeps the pruner in hand comfortably.
- Increased durability and stable cut due to anvil blade configuration.

# SingleStep™ & Solid™ pruners

## SingleStep™ Pruner Bypass P26

Art. no. **1000567**

EAN



Height: **20 mm** Length: **208 mm** Width: **70 mm** Weight: **200 g** Retail box: **4**

Old art. no. **111260**



- For cutting fresh wood up to Ø 20 mm.
- Easier cutting and cleaning due to non-stick coating on the upper blade.
- Carbon steel blades.

## SingleStep™ Pruner Anvil P25

Art. no. **1000564**

EAN



Height: **20 mm** Length: **198 mm** Width: **75 mm** Weight: **180 g** Retail box: **4**

Old art. no. **111250**



- For cutting dry and hard wood up to Ø 20 mm.
- Increased durability and stable cut due to anvil blade configuration.
- Easier cutting and cleaning due to non-stick coating on the upper blade.
- Carbon steel blades.

## SingleStep™ Universal Snip SP28

Art. no. **1000571**

EAN



Height: **20 mm** Length: **208 mm** Width: **70 mm** Weight: **200 g** Retail box: **4**

Old art. no. **111280**



- Designed for multiple cutting tasks like cutting steel, plastics, tubes, ropes or hoses up to Ø 20 mm.
- Carbon steel blades.
- Wide serrated blade to prevent slipping in robust tasks.

NOTE! Not recommended for pruning.

## SingleStep™ Snip SP27

Art. no. **1000570**

EAN



Height: **20 mm** Length: **210 mm** Width: **76 mm** Weight: **200 g** Retail box: **4**

Old art. no. **111270**



- Designed for multiple cutting tasks like cutting steel, plastics, tubes, ropes or hoses up to Ø 20 mm.
- Narrow blades for better reach and precise cutting

NOTE! Not recommended for pruning.



# Inspiration™ pruners

## Inspiration™ Pruner Bypass Ruby P26

Height: **20 mm**Length: **208 mm**Width: **70 mm**Weight: **200 g**Retail box: **4**Art. no. **1003657**Old art. no. **111256**

EAN



6 4 1 1 5 0 1 1 1 2 5 6 9



- Ideal for cutting young, green wood up to Ø 22 mm.
- Carbon steel blades.

## Inspiration™ Pruner Bypass Lucy P26

Height: **20 mm**Length: **208 mm**Width: **70 mm**Weight: **200 g**Retail box: **4**Art. no. **1003664**Old art. no. **111257**

EAN



6 4 1 1 5 0 1 1 1 2 5 7 6



- Ideal for cutting young, green wood up to Ø 22 mm.
- Carbon steel blades.

# Choose the right lopper

Fiskars loppers are suitable for all kinds of garden cutting tasks with a capacity of up to Ø55 mm. Fiskars loppers are designed to be lightweight, efficient and comfortable to use.



## Different heads for different purposes

### 1 Bypass head

The bypass head is for frequent cutting of fresh wood.

### 2 Anvil head

The anvil head is for cutting dry and/or hard wood.

### 3 Hook head

The hook head is best suited for heavy cutting of fresh wood.

### 4 Scissor head

The scissor head is perfect for precision cutting.

# PowerGear™ X Loppers

<b>PowerGear™ X Lopper Bypass S LX92</b>					Art. no. <b>1020186</b>	EAN 6 4 1 1 5 0 1 1 2 2 6 0 5
Height: <b>250 mm</b>	Length: <b>570 mm</b>	Width: <b>230 mm</b>	Weight: <b>832 g</b>	Retail box: <b>4</b>	Old art. no. <b>112260</b>	



- For frequent cutting of fresh wood up to Ø 38 mm.
- Bypass blades for easy catching of branches and clean cuts.
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.

<b>PowerGear™ X Lopper Bypass M LX94</b>					Art. no. <b>1020187</b>	EAN 6 4 1 1 5 0 1 1 2 3 9 0 9
Height: <b>250 mm</b>	Length: <b>640 mm</b>	Width: <b>230 mm</b>	Weight: <b>1190 g</b>	Retail box: <b>4</b>	Old art. no. <b>112390</b>	



- For frequent cutting of fresh wood up to Ø 50 mm.
- Bypass blades for easy catching of branches and clean cuts.
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.

<b>PowerGear™ X Lopper Bypass L LX98</b>					Art. no. <b>1020188</b>	EAN 6 4 1 1 5 0 1 1 2 4 9 0 6
Height: <b>250 mm</b>	Length: <b>800 mm</b>	Width: <b>255 mm</b>	Weight: <b>1342 g</b>	Retail box: <b>4</b>	Old art. no. <b>112490</b>	



- For heavy cutting of fresh wood up to Ø 50 mm.
- Bypass blades for easy catching of branches and clean cuts.
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.

<b>PowerGear™ X Lopper Anvil L LX99</b>					Art. no. <b>1020189</b>	EAN 6 4 1 1 5 0 1 1 2 4 4 0 1
Height: <b>250 mm</b>	Length: <b>800 mm</b>	Width: <b>255 mm</b>	Weight: <b>1357 g</b>	Retail box: <b>4</b>	Old art. no. <b>112440</b>	



- For heavy cutting of hard and dry wood up to Ø 55 mm.
- Anvil blade configuration for added durability and effective cuts.
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.

# PowerGear™ Loppers

## PowerGear™ Lopper Bypass, Hook Head (L) L78

Height: **28 mm** Length: **692 mm** Width: **180 mm** Weight: **1060 g** Retail box: **4**

Art. no. **1000584**

Old art. no. **112590**

EAN



- For heavy cutting of fresh wood up to Ø 50 mm.
- Very light weight due to FiberComp™ construction.
- Anvil blade configuration for added durability and effective cuts.

## PowerGear™ Lopper Anvil (L) L77

Height: **32 mm** Length: **686 mm** Width: **257 mm** Weight: **1050 g** Retail box: **4**

Art. no. **1000583**

Old art. no. **112580**

EAN



- For heavy cutting of hard and dry wood up to Ø 50 mm.
- Very light weight due to FiberComp™ construction.
- Anvil blade configuration for added durability and effective cuts.

## PowerGear™ Lopper Bypass, Scissor Head (M) L76

Height: **25 mm** Length: **557 mm** Width: **184 mm** Weight: **540 g** Retail box: **4**

Art. no. **1001553**

Old art. no. **112300**

EAN



- For cutting of fresh wood up to Ø 28 mm.
- Very light weight due to FiberComp™ construction.
- Scissor head blades optimised for precision cutting.

## PowerGear™ Lopper Bypass, Hook Head (M) L74

Height: **25 mm** Length: **545 mm** Width: **183 mm** Weight: **550 g** Retail box: **4**

Art. no. **1000582**

Old art. no. **112290**

EAN



- For cutting of fresh wood up to Ø 38 mm.
- Very light weight due to FiberComp™ construction.
- Bypass blades for easy catching of branches and a clean cuts.

## PowerGear™ Lopper Bypass, Scissor Head (S) L72

Height: **25 mm** Length: **460 mm** Width: **152 mm** Weight: **470 g** Retail box: **4**

Art. no. **1001555**

Old art. no. **112200**

EAN



- For frequent cutting of fresh wood up to Ø 28 mm.
- Very light weight due to FiberComp™ construction.
- Scissor head blades optimised for precision cutting.

**PowerGear™ Lopper Anvil (S) L71**Art. no. **1001556**Height: **25 mm** Length: **450 mm** Width: **162 mm** Weight: **470 g** Retail box: **4**Old art. no. **112180**

EAN



- For cutting of hard, dry wood up to Ø 35 mm.
- Very light weight due to FiberComp™ construction.

**PowerGear™ Lopper Bypass, Hook Head (S) L70**Art. no. **1002104**Height: **25 mm** Length: **460 mm** Width: **152 mm** Weight: **470 g** Retail box: **4**Old art. no. **112190**

EAN



- For frequent cutting of fresh wood up to Ø 38 mm.
- Very light weight due to FiberComp™ construction.
- Hooked bypass blades for easy catching of branches and a clean cuts.

**PowerGear™ Lopper Anvil (S) L31**Art. no. **1000581**Height: **25 mm** Length: **387 mm** Width: **180 mm** Weight: **380 g** Retail box: **4**Old art. no. **112170**

EAN



- For cutting of hard, dry wood up to Ø 35 mm.
- Very light weight due to FiberComp™ construction.


**SmartFit™ lopper****SmartFit™ Lopper Bypass L86**Art. no. **1013564**Height: **35 mm** Length: **665 mm** Width: **249 mm** Weight: **1280 g** Retail box: **4**Old art. no. **112500**

EAN




- For cutting branches up to Ø 40 mm both far and near.
- Optimal working position due to adjustable shaft length between 665 - 915mm.
- Hooked bypass blades for easy catching of branches and a clean cuts.
- Increased comfort due to SoftGrip™ covered handles.

# SingleStep™ Loppers

<b>SingleStep™ Lopper Bypass Hook head (S) L28</b>					Art. no. <b>1001432</b>	 EAN 6 4 1 1 5 0 1 1 2 1 6 0 8
Height: -	Length: <b>495 mm</b>	Width: <b>185 mm</b>	Weight: <b>950 g</b>	Retail box: <b>4</b>	Old art. no. <b>112160</b>	




- For cutting fresh wood.
- Cutting capacity: Ø 35 mm.
- Blade material: hardened steel, non-stick coating.

<b>SingleStep™ Lopper Bypass Hook Head (L) L38</b>					Art. no. <b>1001426</b>	 EAN 6 4 1 1 5 0 1 1 2 4 6 0 9
Height: -	Length: <b>816 mm</b>	Width: <b>346 mm</b>	Weight: <b>1170 g</b>	Retail box: <b>4</b>	Old art. no. <b>112460</b>	



- For heavy cutting of fresh wood.
- Cutting capacity: Ø 40 mm.
- Blade material: hardened steel, non-stick coating.

<b>SingleStep™ Lopper Anvil Hook Head (L) L39</b>					Art. no. <b>1001430</b>	 EAN 6 4 1 1 5 0 1 1 2 4 5 0 0
Height: -	Length: <b>816 mm</b>	Width: <b>346 mm</b>	Weight: <b>1200 g</b>	Retail box: <b>4</b>	Old art. no. <b>112450</b>	



- For heavy cutting of dry and hard wood.
- Cutting capacity: Ø 40 mm.
- Blade material: upper blade of hardened steel with non-stick coating, anvil blade of aluminium.

ESSENTIAL

# Hedge shears

Fiskars has a full range of shears whether your interest is topiary, annual growth control, or simply a nice straight line in your hedge. From robust SingleStep action hedge shears to adjustable telescopic shears. For the toughest jobs, we have shears featuring our unique PowerGear™ technology, which can triple your cutting power right up to the tip.



## PowerGear™ X

Very durable and saving effort up to 3x with PowerGear™ cutting mechanism.



## PowerLever™

Light weight and saving effort up to 2x with PowerLever™ cutting mechanism.



## SmartFit™

Optimal working position due to adjustable shaft length.



## SingleStep™

Sturdy and comfortable.



# PowerGear™ hedge shears

ADVANCED

## PowerGear™ X Hedge Shear HSX92

Art. no. **1023631**

EAN



Height: **30 mm** | Length: **630 mm** | Width: **165 mm** | Weight: **808 g** | Retail box: **4** | Old art. no. -



- For effortless trimming of hedges and bushes.
- Unique PowerGear™ mechanism makes cutting up to 3 times easier vs standard mechanisms.
- Light-weight and durable with PTFE coated precision ground blades.
- Optimum comfort and balance with SoftGrip™ handle construction.

# PowerLever™ & SmartFit™ hedge shears

COMFORT

## PowerLever™ Hedge Shear HS52

Art. no. **1001564**

EAN



Height: **40 mm** | Length: **544 mm** | Width: **148 mm** | Weight: **610 g** | Retail box: **4** | Old art. no. **114750**



- For easy trimming of hedges and bushes.
- Saving effort up to 2x with PowerLever™ cutting mechanism.
- Light weight due to FiberComp™ shaft.

## SmartFit™ Hedge Shear HS86

Art. no. **1013565**

EAN



Height: **45 mm** | Length: **675 mm** | Width: **215 mm** | Weight: **1250 g** | Retail box: **4** | Old art. no. **114800**



- For trimming of hedges and bushes both far and near.
- Optimal working position due to adjustable shaft length between 680 - 930 mm.
- Comfortable, non-slip SoftGrip™ handles.

# SingleStep™ hedge shears

## SingleStep™ Hedge Shear Wavy Blade HS22

Height: **45 mm**Length: **580 mm**Width: **190 mm**Weight: **840 g**Retail box: **4**Art. no. **1001433**Old art. no. **114730**

EAN



- For trimming hedges and bushes.
- Sturdy and comfortable handles of glassfibre reinforced polypropylene (PPGF).
- Hardened steel blades with non-stick coating.

# New PowerGear™ X tree pruners

✓ **More power with less effort**

Improved strength of cutting head

✓ **Better maintenance**

Spare parts available

✓ **Easy cutting in all directions**

Adjustable head turns 230°

Telescopic  
Tree pruner

↑ **6m**  
reach

Tree pruner

↑ **3.5m**  
reach



Adjustable head  
turns 230°



Improved strength and  
maintenance of cutting head

Soft-grip strengthened  
for better grip



# PowerGear™ X tree pruners

Fiskars Tree pruners are multi-use tools that allow access to tree crowns and dense bushes, enabling the gardener to trim overhead without needing a ladder, or at ground level without bending or kneeling.

## PowerGear™ X Telescopic Tree Pruner UPX86

Height: **2300 mm** Length: **70 mm** Width: **110 mm** Weight: **1900 g** Retail box: **2**

Art. no. **1023624**

Old art. no. -

EAN



6 4 1 1 5 0 1 1 5 0 1 2 7

New



- Extended reach for cutting fresh wood up to Ø 32 mm.
- Shaft length adjustable from 2.4-4 meters, maximum reach 6 meters.
- Adjustable cutting head, up to 230°.
- Orange cutting support for added visibility.
- Durable soft-grip handles and non-slip base.



## PowerGear™ X Tree Pruner UPX82

Height: **2200 mm** Length: **70 mm** Width: **140 mm** Weight: **1140 g** Retail box: **4**

Art. no. **1023625**

Old art. no. -

EAN



6 4 1 1 5 0 1 1 5 0 1 3 4

New



- Extended reach for cutting fresh wood up to Ø 32 mm.
- Cutting reach approx. 4,5 meters.
- Adjustable cutting head, up to 230°.
- Orange cutting support for added visibility.
- Durable soft-grip handles and non-slip base.



## Branch saw for Tree Pruners UPX86, UPX82

Height: **470 mm** Length: **70 mm** Width: **80 mm** Weight: **235 g** Retail box:

Art. no. **1023633**

Old art. no. -

EAN



6 4 1 1 5 0 1 1 5 0 1 6 5

New



- For sawing up to Ø 80 mm branches.
- Impulse hardened, quality steel blade.
- The hollow-grind blade enables easier sawing
- Adjustable sawing angle.
- Sturdy fastening mechanism to shaft, fits UPX82 & UPX86.

### CUTTING

Activate the great cutting power with a slide of the orange handle, or when used at maximum height, with a pull of the orange end knob.

### ADJUSTING

The adjustable head and the lightweight cutting mechanism helps to ensure fast, and safe pruning from afar.

## Other tree pruners & accessories

<b>Tree Pruner Bypass Long UP84</b>					Art. no. <b>1001557</b>	EAN 6 4 1 1 5 0 1 9 6 3 9 0 1
Height: <b>70 mm</b>	Length: <b>2322 mm</b>	Width: <b>118 mm</b>	Weight: <b>1050 g</b>	Retail box: <b>2</b>	Old art. no. <b>115390</b>	



- Bypass cutting action for up to Ø 32 mm thick branches.
- Cutting reach of approximately 4,5 meters.
- Adjustable cutting angle up to 230°.
- Can be used with extension pole (art. No 1001560) and fruit picker (art. No 1001562).



<b>Fruit Picker UP80 Plus Part</b>					Art. no. <b>1001562</b>	EAN 6 4 1 1 5 0 1 9 6 9 7 0 5
Height: <b>205 mm</b>	Length: <b>290 mm</b>	Width: <b>155 mm</b>	Weight: <b>210 g</b>	Retail box: <b>4</b>	Old art. no. <b>110970</b>	

- Can be used with article No. 1001557, 1000598, 1023624 and 1023625.
- Bag of durable cotton fabric and frame of FiberComp™.







# Fiskars QuikFit™







**Click & Reach p.81**

**Click & Clean p.83**

**Click & Grow p.86**

# Smart and safe solution



reddot design award  
winner 2010

Fiskars QuikFit™ is a range of garden products with interchangeable heads and handles for a variety of garden tasks. In particular, Fiskars QuikFit™ offers safe and smart solutions for those high reach jobs, enables effective lawn and yard cleaning and offers neat and transportable solutions for cultivating work.



Shaft L  
+ saw

↑ 6m  
reach

Shaft M +  
saw

↑ 3.5m  
reach



## Click & Reach

Within the Click&Reach range, QuikFit™ offers easy solutions for those hard-to-reach tasks, paying the due attention to safety. Forget the ladder when sawing high branches or cleaning gutters – let QuikFit™ do the job from the ground up.



## Click & Clean

Within the Click&Clean range QuikFit™ Fiskars offers easy solutions for cleaning your lawn and yard with special attention paid to functionality and storage efficiency. With their unique and smart design QuikFit™ rakes and brooms allow you to perform the garden tidy-up with minimum effort, while keeping your shed neat and free from clutter when not in use.




## Click & Grow

Within the Click&Grow range, QuikFit™ offers easy and mobile solutions for cultivating vegetable and flowers in your garden, summer cottage or city allotment. The unique space-saving system, where one shaft can be used with several tool heads, makes transportation and storage easy.

# QuikFit™ click & reach




reddot design award  
winner 2010

<b>QuikFit™ Tree Cutter</b>					Art. no. <b>1001410</b>	EAN  6 4 1 1 5 0 1 3 6 5 2 5 5
Height: <b>70 mm</b>	Length: <b>400 mm</b>	Width: <b>110 mm</b>	Weight: <b>480 g</b>	Retail box: <b>6</b>	Old art. no. <b>136525</b>	




- Enhanced cutting power (x12) with PowerReel™ mechanism.
  - No external ropes on the cutting head allows to easily reach any branch.
  - Anvil cutting action for dry and hard wood.
  - Cutting capacity: Ø 32 mm.
- Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

<b>QuikFit™ Curved Saw</b>					Art. no. <b>1000691</b>	EAN  5 9 0 5 5 6 8 3 6 5 2 7 9
Height: <b>35 mm</b>	Length: <b>560 mm</b>	Width: <b>70 mm</b>	Weight: <b>390 g</b>	Retail box: <b>6</b>	Old art. no. <b>136527</b>	




- Pull saw with hardened steel blade with a length of 360 mm.
  - Top-hook ensures non-slip steadiness while pulling.
  - Bottom knife ensures a clean and precise finishing cut from below the branch.
- Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

<b>QuikFit™ Fruit Picker</b>					Art. no. <b>1000693</b>	EAN  5 9 0 5 5 6 8 3 6 9 5 0 5
Height: <b>85 mm</b>	Length: <b>320 mm</b>	Width: <b>168 mm</b>	Weight: <b>250 g</b>	Retail box: <b>6</b>	Old art. no. <b>136950</b>	



- For easy pulling from the branch due to broad opening, optimal design which directs the fruit to the end of the tips.
  - Cotton bag, which can be removed for washing.
  - Added durability due to FiberComp™ lightweight design.
- Recommended Shaft: Telescopic Shaft L, Telescopic Shaft M and Shaft L.

<b>QuikFit™ Gutter Cleaner</b>					Art. no. <b>1001414</b>	EAN  5 9 0 5 5 6 8 3 5 5 4 2 3
Height: <b>150 mm</b>	Length: <b>310 mm</b>	Width: <b>45 mm</b>	Weight: <b>330 g</b>	Retail box: <b>6</b>	Old art. no. <b>135542</b>	



- Combination of brush and scraper offers full complement gutter cleaning capabilities.
  - Adjustable angle ensures optimal positioning of tool safely from the ground.
- Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

<b>QuikFit™ Telescopic Shaft M</b>					Art. no. <b>1000666</b>	EAN  5 9 0 5 5 6 8 3 6 0 4 2 7
Height: <b>37 mm</b>	Length: <b>1400 mm</b>	Width: <b>65 mm</b>	Weight: <b>1000 g</b>	Retail box: <b>6</b>	Old art. no. <b>136042</b>	



- Especially designed for hard to reach tasks in the garden with a reach of up to 4 metres, it fits conveniently into most cars.
- Dual locking system for maximum safety.
- Lightweight aluminium.
- Adjustable shaft length from 1400 - 2400 mm.

# QuikFit™ click & reach



reddot design award  
winner 2010

## QuikFit™ Telescopic Shaft L

Art. no. **1000665**

Height: **40 mm**   Length: **2280 mm**   Width: **90 mm**   Weight: **1600 g**   Retail box: **4**

Old art. no. **136032**

EAN



- Especially designed for hard to reach tasks in the garden with a reach of up to 6 meters.
- Dual locking system for maximum safety.
- Lightweight aluminium.
- Adjustable shaft length from 2280 - 4000 mm.



COMFORT



# QuikFit™ click & clean



reddot design award  
winner 2010

<b>QuikFit™ Leaf Rake L</b>					Art. no. <b>1000642</b>	EAN 6 4 1 1 5 0 1 3 5 0 1 3 8
Height: <b>53 mm</b>	Length: <b>320 mm</b>	Width: <b>520 mm</b>	Weight: <b>290 g</b>	Retail box: <b>6</b>	Old art. no. <b>135013</b>	



- Wide rake for gathering fallen leaves and grass cuttings.
  - More comfort with less effort due to tines working in a pulling direction.
  - 25 soft and flexible tines of high-quality PBT plastic that withstand bending.
- Recommended Shaft: Shaft L

<b>QuikFit™ Leaf Rake Metal</b>					Art. no. <b>1000644</b>	EAN 6 4 1 1 5 0 1 3 5 2 0 1 9
Height: <b>70 mm</b>	Length: <b>470 mm</b>	Width: <b>430 mm</b>	Weight: <b>445 g</b>	Retail box: <b>6</b>	Old art. no. <b>135201</b>	



- For removing loose moss and grass cuttings from the lawn.
  - 22 flexible steel prongs.
- Recommended Shaft: Shaft L

<b>QuikFit™ Gather Rake</b>					Art. no. <b>1000656</b>	EAN 5 9 0 5 5 6 8 5 4 0 3 3 1
Height: <b>125 mm</b>	Length: <b>175 mm</b>	Width: <b>580 mm</b>	Weight: <b>1017 g</b>	Retail box: <b>2</b>	Old art. no. <b>135514</b>	



- Wide rake for gathering leaves and cutting waste from lawn areas.
  - Hardened carbon steel head.
- Recommended Shaft: Shaft L

<b>QuikFit™ Aerator Rake</b>					Art. no. <b>1000655</b>	EAN 5 9 0 5 5 6 8 5 4 0 3 2 4
Height: <b>75 mm</b>	Length: <b>270 mm</b>	Width: <b>365 mm</b>	Weight: <b>961 g</b>	Retail box: <b>2</b>	Old art. no. <b>135513</b>	



- For removing moss and thatch from lawn areas.
  - Hardened carbon steel head.
- Recommended Shaft: Shaft L

<b>QuikFit™ Leaf Rake S</b>					Art. no. <b>1000659</b>	EAN 6 4 1 1 5 0 1 3 5 5 5 1 5
Height: <b>42 mm</b>	Length: <b>320 mm</b>	Width: <b>220 mm</b>	Weight: <b>170 g</b>	Retail box: <b>6</b>	Old art. no. <b>135551</b>	



- Convenient small leaf rake for clearing around narrow beds and borders.
  - More comfort with less effort due to tines working in a pulling direction.
  - 11 soft and flexible tines of high-quality PBT plastic that withstand bending.
- Recommended shaft: Shaft M and L

COMFORT



# QuikFit™ click & clean



reddot design award  
winner 2010

## QuikFit™ Flower Rake

Height: **41 mm** Length: **384 mm** Width: **124 mm** Weight: **210 g** Retail box: **6**

Art. no. **1001412**

Old art. no. **135552**

EAN



- Durable FiberComp™ frame and 7 steel tines construction.
  - 13 cm working width - ideal for nursery spaces and narrow plant beds.
- Recommended shaft: Handle S and Shaft M

## QuikFit™ Lawn Edger

Height: **28 mm** Length: **260 mm** Width: **195 mm** Weight: **398 g** Retail box: **6**

Art. no. **1000690**

Old art. no. **136526**

EAN



- For clearing the space between the lawn and hard surfaces by stepping on the blade and driving it deep into the lawn.
  - For edging the borders.
  - Hardened boron steel head with flat top.
- Recommended shaft: Shaft M and L

## QuikFit™ Yard Broom

Height: **195 mm** Length: **290 mm** Width: **70 mm** Weight: **340 g** Retail box: **6**

Art. no. **1001417**

Old art. no. **135532**

EAN



- All-purpose yard broom.
  - Featuring Fiskars PowerClean™ combing soft and hard bristles for efficient sweeping.
- Recommended shaft: Shaft M and L

## QuikFit™ Patio Broom

Height: **185 mm** Length: **380 mm** Width: **75 mm** Weight: **370 g** Retail box: **6**

Art. no. **1001416**

Old art. no. **135533**

EAN



- For sweeping smooth surfaces like patios, wooden decks and polished concrete floors.
  - Fast efficient sweeping due to the wide brush head and soft bristles.
- Recommended shaft: Shaft M and L

## QuikFit™ Sweeping Broom

Height: **290 mm** Length: **260 mm** Width: **70 mm** Weight: **375 g** Retail box: **6**

Art. no. **1001415**

Old art. no. **135534**

EAN



- A modern take on the traditional sweeping broom.
  - Robust construction and long bristles ideal for coarser debris, leaves etc..
- Recommended shaft: Shaft M and L

COMFORT

# QuikFit™ click & clean



reddot design award  
winner 2010

<b>QuikFit™ Paving Brush</b>					Art. no. <b>1000657</b>	EAN 5 905568 355225
Height: <b>37 mm</b>	Length: <b>185 mm</b>	Width: <b>152 mm</b>	Weight: <b>160 g</b>	Retail box: <b>6</b>	Old art. no. <b>135522</b>	



- For removing moss and weeds from between paving slabs.
  - Hardened steel front blade for stubborn moss and dirt.
  - Steel bristles to scrub paving and slabs.
  - More durable and resistant to moisture due to lightweight FiberComp™ construction.
- Recommended shaft: Shaft M and L

<b>QuikFit™ Patio Knife</b>					Art. no. <b>1000687</b>	EAN 5 905568 540393
Height: <b>28 mm</b>	Length: <b>250 mm</b>	Width: <b>70 mm</b>	Weight: <b>136 g</b>	Retail box: <b>6</b>	Old art. no. <b>136521</b>	



- Ideal tool for removing grass, moss and weeds from between slabs, block paving, wall corners and steps.
  - Blade of hardened boron steel.
- Recommended shaft: Shaft M and L

<b>QuikFit™ Straight Saw</b>					Art. no. <b>1000692</b>	EAN 5 905568 365286
Height: <b>50 mm</b>	Length: <b>620 mm</b>	Width: <b>50 mm</b>	Weight: <b>200 g</b>	Retail box: <b>6</b>	Old art. no. <b>136528</b>	




- For sawing tasks in the garden.
  - FiberComp™ slider and adaptor.
  - Hardened steel blade with a length of 345 mm.
- Recommended shaft: Shaft M and L

# QuikFit™ click & grow




reddot design award  
winner 2010

<b>QuikFit™ Soil Rake 14 prongs</b>					Art. no. <b>1000653</b>	EAN  5 905568 540300
Height: <b>70 mm</b>	Length: <b>205 mm</b>	Width: <b>360 mm</b>	Weight: <b>428 g</b>	Retail box: <b>6</b>	Old art. no. <b>135511</b>	




- For raking, levelling or smoothing seed beds that cover a wider area.
  - 14 spikes of hardened carbon steel.
- Recommended shaft: Shaft L

<b>QuikFit™ Soil Rake 16 prongs</b>					Art. no. <b>1000654</b>	EAN  5 905568 540317
Height: <b>70 mm</b>	Length: <b>205 mm</b>	Width: <b>400 mm</b>	Weight: <b>493 g</b>	Retail box: <b>6</b>	Old art. no. <b>135512</b>	




- For raking, levelling or smoothing seed beds that cover a wider area.
  - 16 tines of hardened carbon steel.
- Recommended shaft: Shaft L

<b>QuikFit™ Universal Rake</b>					Art. no. <b>1000643</b>	EAN  6 411501 350510
Height: <b>110 mm</b>	Length: <b>152 mm</b>	Width: <b>410 mm</b>	Weight: <b>260 g</b>	Retail box: <b>6</b>	Old art. no. <b>135051</b>	




- For raking and clearing long loose grass.
  - Also for making planting beds by levelling the ground and sand and packing down the soil.
  - 12 FiberComp™ tines designed at a specific angle to help with ergonomic posture.
  - Levelling function to even the soil bed.
- Recommended shaft: Shaft L

<b>QuikFit™ Rose Rake</b>					Art. no. <b>1000651</b>	EAN  5 905568 540355
Height: <b>45 mm</b>	Length: <b>225 mm</b>	Width: <b>245 mm</b>	Weight: <b>233 g</b>	Retail box: <b>6</b>	Old art. no. <b>135501</b>	



- Unique head shape allows the gardener to work between plants and stems without damaging the plants.
  - Ideal for narrow bed layouts.
  - 10 teeth of hardened boron steel.
- Recommended shaft: Shaft L and M

<b>QuikFit™ Cultivator</b>					Art. no. <b>1000680</b>	EAN  5 905568 540423
Height: <b>115 mm</b>	Length: <b>305 mm</b>	Width: <b>125 mm</b>	Weight: <b>417 g</b>	Retail box: <b>6</b>	Old art. no. <b>136511</b>	



- For cultivating, scarifying, aerating and breaking up soil.
  - Suitable for seed bed preparation and maintenance.
  - Blade of hardened carbon steel.
- Recommended shaft: Shaft L

COMFORT

# QuikFit™ click & grow



reddot design award  
winner 2010

<b>QuikFit™ Cultivator</b>					Art. no. <b>1000681</b>	EAN 5 905568 540416
Height: <b>175 mm</b>	Length: <b>305 mm</b>	Width: <b>125 mm</b>	Weight: <b>507 g</b>	Retail box: <b>6</b>	Old art. no. <b>136512</b>	



- For cultivating, scarifying, aerating and breaking up soil.
  - Suitable for seed bed preparation and maintenance.
  - Blade of hardened carbon steel.
- Recommended shaft: Shaft L

<b>QuikFit™ Grubber</b>					Art. no. <b>1000685</b>	EAN 5 905568 365170
Height: <b>90 mm</b>	Length: <b>330 mm</b>	Width: <b>100 mm</b>	Weight: <b>340 g</b>	Retail box: <b>6</b>	Old art. no. <b>136517</b>	



- For cultivating and aerating garden flower beds.
  - Blade of hardened carbon steel.
- Recommended shaft: Shaft M and L

<b>QuikFit™ Hoe</b>					Art. no. <b>1000677</b>	EAN 5 905568 540379
Height: <b>90 mm</b>	Length: <b>250 mm</b>	Width: <b>185 mm</b>	Weight: <b>254 g</b>	Retail box: <b>6</b>	Old art. no. <b>136503</b>	



- Efficient tool for removing weeds between rows of plants or breaking up the soil.
  - Blade of stainless steel.
- Recommended shaft: Shaft L

<b>QuikFit™ Push-Pull Weeder</b>					Art. no. <b>1000738</b>	EAN 5 905568 540409
Height: <b>35 mm</b>	Length: <b>250 mm</b>	Width: <b>155 mm</b>	Weight: <b>358 g</b>	Retail box: <b>6</b>	Old art. no. <b>139970</b>	



- Useful for weeding as it loosens the soil simply by pushing and pulling back and forth.
  - Hardened boron steel head.
- Recommended shaft: Shaft L

<b>QuikFit™ Hoe 3 functions</b>					Art. no. <b>1000682</b>	EAN 5 905568 540430
Height: <b>40 mm</b>	Length: <b>315 mm</b>	Width: <b>130 mm</b>	Weight: <b>241 g</b>	Retail box: <b>6</b>	Old art. no. <b>136513</b>	



- For working around stems and in narrow spaces.
  - Blade is sharpened on 3 sides to assist cultivating at different angles.
  - Blade of hardened boron steel.
- Recommended shaft: Shaft L

COMFORT

# QuikFit™ click & grow



reddot design award  
winner 2010

<b>QuikFit™ Dutch Hoe</b>					Art. no. <b>1000676</b>	EAN 5 905568 540362
Height: <b>28 mm</b>	Length: <b>295 mm</b>	Width: <b>125 mm</b>	Weight: <b>241 g</b>	Retail box: <b>6</b>	Old art. no. <b>136502</b>	



- Sharp, ground weeding blade for removing weeds, breaking up soil, creating seed rows or removing moss from patios.
  - Blade of hardened boron steel.
- Recommended shaft: Shaft L

<b>QuikFit™ Spiker</b>					Art. no. <b>1000689</b>	EAN 6 411501 365248
Height: <b>100 mm</b>	Length: <b>305 mm</b>	Width: <b>205 mm</b>	Weight: <b>512 g</b>	Retail box: <b>2</b>	Old art. no. <b>136524</b>	



- Used for aerating smaller, narrower plots.
  - Allows nutrients to penetrate the surface and helps seed, fertiliser, water, air and light to reach the roots.
  - Hardened steel blades.
- Recommended shaft: Shaft L

<b>QuikFit™ Cultivator Angled</b>					Art. no. <b>1000683</b>	EAN 5 905568 365156
Height: <b>70 mm</b>	Length: <b>305 mm</b>	Width: <b>90 mm</b>	Weight: <b>235 g</b>	Retail box: <b>6</b>	Old art. no. <b>136515</b>	



- For loosening and aerating plant beds to optimise nutrient distribution.
  - Tool design protects plants roots.
  - Carbon steel head.
- Recommended shaft: Handle S and Shaft M

<b>QuikFit™ Double Scraper Hoe</b>					Art. no. <b>1000734</b>	EAN 5 905568 375629
Height: <b>143 mm</b>	Length: <b>187 mm</b>	Width: <b>53 mm</b>	Weight: <b>220 g</b>	Retail box: <b>6</b>	Old art. no. <b>137562</b>	



- Versatile use on patios and for removing grass, moss and weeds from between tiles and slabs.
  - Can also be used to cultivate plant beds.
  - Boron steel blades with carbon steel thong.
- Recommended shaft: Handle S and Shaft M

<b>QuikFit™ Double Hoe</b>					Art. no. <b>1000735</b>	EAN 5 905568 375728
Height: <b>143 mm</b>	Length: <b>187 mm</b>	Width: <b>53 mm</b>	Weight: <b>205 g</b>	Retail box: <b>6</b>	Old art. no. <b>137572</b>	



- Versatile use with dual functionality.
  - For breaking up soil, cultivating plant beds and weeding.
  - Boron steel blades with carbon steel thong.
- Recommended shaft: Handle S and Shaft M


COMFORT

# QuikFit™ click & grow



reddot design award  
winner 2010

<b>QuikFit™ Weed Fork</b>					Art. no. <b>1000733</b>	EAN 5 905568 375520
Height: <b>35 mm</b>	Length: <b>273 mm</b>	Width: <b>77 mm</b>	Weight: <b>215 g</b>	Retail box: <b>6</b>	Old art. no. <b>137552</b>	



- For transplanting, cultivating and weeding.
  - Boron steel head.
- Recommended shaft: Handle S and Shaft M

<b>QuikFit™ Trowel</b>					Art. no. <b>1000730</b>	EAN 5 905568 375124
Height: <b>63 mm</b>	Length: <b>318 mm</b>	Width: <b>73 mm</b>	Weight: <b>260 g</b>	Retail box: <b>6</b>	Old art. no. <b>137512</b>	



- For planting and transplanting.
  - Boron steel head.
- Recommended shaft: Handle S and Shaft M

<b>QuikFit™ Weed Extractor</b>					Art. no. <b>1000731</b>	EAN 5 905568 375223
Height: <b>45 mm</b>	Length: <b>328 mm</b>	Width: <b>35 mm</b>	Weight: <b>225 g</b>	Retail box: <b>6</b>	Old art. no. <b>137522</b>	



- For planting and transplanting.
  - Boron steel head.
- Recommended shaft: Handle S and Shaft M

<b>QuikFit™ Shaft L</b>					Art. no. <b>1000661</b>	EAN 5 905568 540461
Height: <b>35 mm</b>	Length: <b>1560 mm</b>	Width: <b>75 mm</b>	Weight: <b>475 g</b>	Retail box: <b>6</b>	Old art. no. <b>136001</b>	



- Optimum comfort due to teardrop profile hardened aluminium shaft with SoftGrip™ handle.
- Hanging hole for easy storage.
- Shaft for allround use in garden.
- A unique automatic lock makes the tool ready for use in seconds.

<b>QuikFit™ Shaft M</b>					Art. no. <b>1000664</b>	EAN 5 905568 360229
Height: <b>35 mm</b>	Length: <b>845 mm</b>	Width: <b>30 mm</b>	Weight: <b>290 g</b>	Retail box: <b>6</b>	Old art. no. <b>136022</b>	



- Medium-length shaft which can be used with nursery tools, cultivators and hoes.
- Optimum comfort due to teardrop profile hardened aluminium shaft with SoftGrip™ handle.
- A unique automatic lock makes the tool ready for use in seconds.
- Hanging hole for easy storage.

COMFORT



COMFORT

**QuikFit™ Handle S**

Art. no. **1000663**

EAN



Height: **35 mm**   Length: **234 mm**   Width: **32 mm**   Weight: **95 g**   Retail box: **6**

Old art. no. **136012**



- Small handle ideal for use with nursery tools.
- Optimum comfort due to aluminium teardrop-shaped frame with FiberComp™ and a SoftGrip™ handle.
- Hanging hole for easy storage.

**QuikFit™ Universal Adapter**

Art. no. **1000617**

EAN




Height: **43 mm**   Length: **171 mm**   Width: **30 mm**   Weight: **71 g**   Retail box: **6**

Old art. no. **130000**



- For connecting a variety of interchangeable heads produced by other manufacturers.
- Lightweight FiberComp™ construction.

**Easy compatibility**





# Fiskars Car tools



# Car & camping tools

ADVANCED

## SnowXpert™ Car Shovel

Height: <b>105 mm</b>	Length: <b>630 mm</b>	Width: <b>220 mm</b>	Weight: <b>520 g</b>	Retail box: <b>6</b>
-----------------------	-----------------------	----------------------	----------------------	----------------------

Art. no. **1019347**

Old art. no. **143072**

EAN



- Stainless steel blade for increased durability.
- Durable composite structure.
- Lightweight and handy size.

## SnowXpert™ Brush & Ice Scraper

Height: <b>92 mm</b>	Length: <b>670 mm</b>	Width: <b>95 mm</b>	Weight: <b>221 g</b>	Retail box: <b>6</b>
----------------------	-----------------------	---------------------	----------------------	----------------------

Art. no. **1019352**

Old art. no. **143062**

EAN



- 2-sided non scratching elastic bristles.
- Double bladed scraper.
- Easy to store detachable structure.

## Foldable Spade

Height: -	Length: <b>249 mm</b>	Width: <b>153 mm</b>	Weight: <b>1016 g</b>	Retail box: <b>4</b>
-----------	-----------------------	----------------------	-----------------------	----------------------

Art. no. **1000621**

Old art. no. **131320**

EAN



- Easy foldable spade, which works as spade and hoe, is practical for camping, sports, etc..
- Canvas sheath for safe storage and protection.
- Durable spade of hardened boron steel, hardened aluminium and plastic.
- Unfolded the spade is 590 mm in length.

COMFORT


## Snow Light Car Shovel

Height: -	Length: <b>715 mm</b>	Width: <b>255 mm</b>	Weight: <b>750 g</b>	Retail box: <b>3</b>
-----------	-----------------------	----------------------	----------------------	----------------------

Art. no. **1000740**

Old art. no. **141020**

EAN



- Aluminium shaft with ergonomic plastic coating.
- Ergonomically designed handled.
- Hardened aluminium blade.

## Safety Camping & Car Spade

Height: -	Length: <b>700 mm</b>	Width: <b>207 mm</b>	Weight: <b>479 g</b>	Retail box: <b>6</b>
-----------	-----------------------	----------------------	----------------------	----------------------

Art. no. **1001574**

Old art. no. **131520**

EAN



- Lightweight spade which floats in water, for camping and gardening.
- Plastic (PP) handle is resistant to low temperatures.
- Durable aluminium scoop for rigidity and high tensile strength.
- Hexagonal shaft for extra grip.

**Solid™ Car Spade**Art. no. **1014809**Height: - Length: **800 mm** Width: **195 mm** Weight: **1350 g** Retail box: **4**Old art. no. **131417**

EAN

**New  
handle**

- All-purpose digging spade for small tasks in all seasons.
- Pointed and sharpened cutting edge.
- Easy to transport and carry.

**Solid™ Car Shovel**Art. no. **1019353**Height: **105 mm** Length: **630 mm** Width: **220 mm** Weight: **500 g** Retail box: **6**Old art. no. **143073**

EAN



- Functional tool for removing snow around the car.
- Compact size fit perfectly to any car.
- Durable structure.


**Solid™ Ice Scraper**Art. no. **1019354**Height: **58 mm** Length: **215 mm** Width: **95 mm** Weight: **70 g** Retail box: **8**Old art. no. **143063**

EAN



- Functional tool for removing ice from the car windows.
- Sturdy and durable structure.

# Snow tools







# SnowXpert™ snow tools

Fiskars snow tools range offers a wide selection of snow tools including sledges, snow shovels, pushers and rollers for both home and professional use. Fiskars SnowXpert™ range of tools has distinctive orange handle details and a patented blade edge lasting up to three times longer than traditional snow tool edges. Fiskars SnowXpert™ tools have a patented blade design that lasts up to three times longer than traditional blade solutions. The steel edge on traditional snow tools flexes and wears out. Fiskars SnowXpert™ tools' new patented blade design incorporates a stiff steel bar. The design increases blade rigidity and improves blade durability.

## Features & benefits

**1 New ergonomic D handle**

For better grip & user comfort

**2 Non slip warm grip**

Orange in color for easy visibility

**3 3X times more durable blade**


Patented steel wire reinforced blade



# SnowXpert™ snow tools

## SnowXpert™ Shovel

Height: -	Length: <b>1310 mm</b>	Width: <b>350 mm</b>	Weight: <b>1400 g</b>	Retail box: <b>3</b>	Art. no. <b>1003468</b>	EAN 6 4 1 1 5 0 1 4 1 0 0 1 6
					Old art. no. <b>141001</b>	



- Reinforced polypropylene plastic scoop.
- For clearing snow from small areas e.g. porch and around the car.

## SnowXpert™ Pusher

Height: -	Length: <b>1520 mm</b>	Width: <b>533 mm</b>	Weight: <b>1600 g</b>	Retail box: <b>3</b>	Art. no. <b>1003469</b>	EAN 6 4 1 1 5 0 1 4 3 0 0 1 4
					Old art. no. <b>143001</b>	



- Reinforced polypropylene plastic scoop.
- For clearing snow from pathways and around the house entrance.

## SnowXpert™ Roller

Height: -	Length: <b>1759 mm</b>	Width: <b>533 mm</b>	Weight: <b>1700 g</b>	Retail box: <b>2</b>	Art. no. <b>1003471</b>	EAN 6 4 1 1 5 0 1 4 3 0 1 1 3
					Old art. no. <b>143011</b>	



- Especially suitable for a snow layer of approximately 5 cm.
- Reinforced scoop of polypropylene plastic rolls the snow in front of the pusher.

## SnowXpert™ Sledge

Height: -	Length: <b>1495 mm</b>	Width: <b>720 mm</b>	Weight: <b>4050 g</b>	Retail box: <b>6</b>	Art. no. <b>1003470</b>	EAN 6 4 1 1 5 0 1 4 3 0 2 1 2
					Old art. no. <b>143021</b>	



- Lightweight snow sledge for larger snow clearance, e.g. yard and parking area.
- Long sturdy tubular steel handle for easy use.
- Injection moulded scoop for high stability and lightness.
- Orange reflector for visibility in the dark.



# Professional snow tools

ADVANCED

## Professional Snow Sledge

Art. no. **1001631**

EAN



Height: - Length: **1480 mm** Width: **830 mm** Weight: **7000 g** Retail box: **6**

Old art. no. **143040**



- Tubular steel handle.
- Tough zinc coated steel edge.
- Safety reflectors on handles.
- Orange reflector for visibility in the dark.

# Classic snow tools

CLASSIC

## Ice Iron

Art. no. **1001639**

EAN



Height: - Length: **1475 mm** Width: **175 mm** Weight: **1400 g** Retail box: **6**

Old art. no. **140000**



- Purpose-made tool for breaking, chipping and clearing ice.
- Solid painted blade of hardened boron steel.
- Wooden shaft.

## Snow and Grain Shovel

Art. no. **1001637**

EAN



Height: - Length: **1268 mm** Width: **310 mm** Weight: **1400 g** Retail box: **6**

Old art. no. **142000**



- Birchwood shaft.
- Polypropylene grip.
- High-quality aluminium blade.

## Snow and Grain Shovel - Tempered

Art. no. **1001638**

EAN



Height: - Length: **1161 mm** Width: **310 mm** Weight: **2000 g** Retail box: **4**

Old art. no. **142010**



- Birchwood shaft.
- Polypropylene grip.
- High-quality aluminium blade.

# Snow Light snow tools

## Snow Light Snow Pusher - Aluminium

Height: -

Length: **1622 mm**Width: **532 mm**Weight: **1700 g**Retail box: **4**Art. no. **1001636**Old art. no. **143060**

EAN



New  
handle



- Aluminium shaft with plastic coating.
- Ergonomically designed handle.
- Hardened aluminium blade.

COMFORT

# Yard cleaning







# New patio & yard brooms

Fiskars offers a range of brooms that make a light work of outdoor yard & garden cleaning. For cleaning from the front door, sidewalks, driveways, garages, stairs & wooden decks

The broom's ingeniously designed heads combines attractive design with functionality & durability.

## Features & benefits

### 1 Easy storage

Functional grip knob offers a comfortable grip & easy storage solution.

### 2 Durable materials & construction


Perfect selection of durable, weather tolerant materials suitable for outdoor use.

### 3 Efficient & effortless to use

Optimal combination of bristles for efficient sweeping of different surfaces. The light weight aluminium handles ensures that sweeping can be undertaken without fatigue or back ache.

### 4 Modern functional design

Purposefully designed broom heads that reach & sweep even the tightest spots. The brooms have an aesthetic design that is pleasant to have by your front door.



# Light broom

## Light Patio Broom

Height: 125 mm	Length: 1620 mm	Width: 380 mm	Weight: 630 g	Retail box: 4	Art. no. <b>1025927</b>	EAN 6 4 1 1 5 0 1 3 1 0 3 9 2
					Old art. no. -	

New




- Patio broom for sweeping smoother surfaces like patios, wooden decks, balconies & terraces.
- Perfect for cleaning of smaller particles.
- Offers a clean sweep of all garden leaves and debris. The ends of the broom curve inwards, making it ideal for gathering debris.
- Handle features SoftGrip™ for a comfortable firm grip.

# Fiskars All purpose yard brooms

## Fiskars All Purpose Yard Broom M

Height: 125 mm	Length: 1620 mm	Width: 380 mm	Weight: 630 g	Retail box: 4	Art. no. <b>1025921</b>	EAN 6 4 1 1 5 0 1 3 1 0 3 7 8
					Old art. no. -	

New



- All-purpose yard broom for cleaning pavements, patios and other yard areas.
- Offers a clean sweep of all garden leaves and debris. The ends of the broom curve inwards, making it ideal for gathering debris.
- Featuring Fiskars PowerClean™ combing soft and hard bristles for efficient sweeping.
- Light weight for improved ergonomics.
- Modern functional design.

## Fiskars All Purpose Yard Broom L

Height: 125 mm	Length: 1720 mm	Width: 480 mm	Weight: 871 g	Retail box: 2	Art. no. <b>1025926</b>	EAN 6 4 1 1 5 0 1 3 1 0 3 8 5
					Old art. no. -	

New



- All-purpose yard broom for cleaning pavements, patios and other yard areas. Perfect for large areas e.g driveways & garages.
- Offers a clean sweep of all garden leaves and debris and features a scrapping edge for the stubborn dirt.
- Featuring Fiskars PowerClean™ combing soft and hard bristles for efficient sweeping.
- Light weight for improved ergonomics
- Modern functional design.

## Fiskars All Purpose Yard Broom Head M

Height: 200 mm	Length: 380 mm	Width: 105 mm	Weight: 390 g	Retail box: 6	Art. no. <b>1025930</b>	EAN 6 4 1 1 5 0 1 3 1 0 4 2 2
					Old art. no. -	

New



- All-purpose yard broom for cleaning pavements, patios and other yard areas.
- Offers a clean sweep of all garden leaves and debris.
- The ends of the broom curve inwards, making it ideal for gathering debris.
- Featuring Fiskars PowerClean™ combing soft and hard bristles for efficient sweeping.
- Modern functional design.
- Complementary to Solid shaft (1014913).
- Spare part for Fiskars All Purpose Broom M (1025921)

COMFORT

ESSENTIAL



## Fiskars All Purpose Yard Broom Head L

Art. no. **1025931**

EAN

Height: **480 mm**Length: **470 mm**Width: **105 mm**Weight: **565 g**Retail box: **4**

Old art. no. -



- All-purpose yard broom for cleaning pavements, patios and other yard areas.
- Perfect for large areas e.g driveways & garages.
- Offers a clean sweep of all garden leaves and debris.
- Featuring Fiskars PowerClean™ combing soft and hard bristles for efficient sweeping.
- Modern functional design.
- Complementary to Solid shaft (1014913).
- Spare part to Fiskars All Purpose Yard Broom L (1025926)

## Accessories

### Work Gloves - SIZE 10

Height: -	Length: <b>325 mm</b>	Width: <b>120 mm</b>	Weight: <b>80 g</b>	Retail box: <b>10</b>	Art. no. <b>1003477</b>	EAN 6 4 1 1 5 0 1 6 0 0 0 4 2
					Old art. no. <b>160004</b>	



- Non-slip grip with axes and stick tools.
- Reinforced for rough manual work.

### Work Gloves - SIZE 8

Height: -	Length: <b>315 mm</b>	Width: <b>115 mm</b>	Weight: <b>75 g</b>	Retail box: <b>10</b>	Art. no. <b>1003478</b>	EAN 6 4 1 1 5 0 1 6 0 0 0 5 9
					Old art. no. <b>160005</b>	



- Non-slip grip with axes and stick tools.
- Reinforced for rough manual work.

### Winter Gloves

Height: <b>325 mm</b>	Length: <b>120 mm</b>	Width: <b>90 mm</b>	Weight: -	Retail box: -	Art. no. <b>1015447</b>	EAN 6 4 1 1 5 0 1 6 0 0 0 7 3
					Old art. no. <b>160007</b>	



- Non-slip grip with axes and stick tools.
- Reinforced for rough manual work.
- Soft shell polyuretane resists wet and ensures a good grip.

# Kids tools



# My First Fiskars kids tools

## MyFirst Fiskars Shovel

Height: **107 mm** Length: **881 mm** Width: **190 mm** Weight: **280 g** Retail box: **5**

Art. no. **1001421**

Old art. no. **138180**

EAN



- Fibre reinforced plastic scoop for maximum functionality and long-term durability.

## MyFirst Fiskars Spade

Height: **45 mm** Length: **910 mm** Width: **168 mm** Weight: **230 g** Retail box: **5**

Art. no. **1001420**

Old art. no. **138170**

EAN



- Fibre reinforced plastic scoop for maximum functionality and long-term durability.

## MyFirst Fiskars Rake

Height: **39 mm** Length: **868 mm** Width: **190 mm** Weight: **210 g** Retail box: **5**

Art. no. **1001419**

Old art. no. **138160**

EAN



- Flexible plastic tines for maximum functionality and long term durability.

## MyFirst Fiskars Broom

Height: **68 mm** Length: **830 mm** Width: **198 mm** Weight: **380 g** Retail box: **5**

Art. no. **1001418**

Old art. no. **138150**

EAN



- Thick but soft plastic bristles for maximum usage comfort, functionality and long term durability.



# Hardware







Hammers [p.111](#)  
Saws & Scissors [p.113](#)

Knives [p.115](#)

# Strikingly powerful



✓ **Built to last longer**

High durability shaft.

● Rugged and durable shaft for increased strength and performance.

✓ **Up to 70% less shock**

Unique anti-vibration system.

● Unique vibration-reduction system, captures kinetic energy to reduce strike strain on the arm.

✓ **Maximum strike control**

Optimised balance, ultimate feel.

● Ergonomically contoured grip and perfectly balanced shaft to give the ultimate strike feel.

# Hammers

## Finishing hammer M 16oz/13.5"

Height: 38 mm	Length: 340 mm	Width: 133 mm	Weight: 820 g	Retail box: 4	Art. no. 1020213	EAN 6 4 1 1 5 0 1 5 6 0 0 1
					Old art. no. -	



reddot award 2016  
winner

70% less shock – Unique anti-vibration system  
• Rip claw for easy nail pulls and dismantling

## General-use hammer L 20oz/13.5"

Height: 38 mm	Length: 340 mm	Width: 146 mm	Weight: 910 g	Retail box: 4	Art. no. 1020214	EAN 6 4 1 1 5 0 1 5 6 0 0 1 8
					Old art. no. -	



reddot award 2016  
winner

70% less shock – Unique anti-vibration system  
• Rip claw for easy nail pulls and dismantling  
• Nail starter for single-handed nail start

## General-use hammer XL 20oz/15.5"

Height: 38 mm	Length: 390 mm	Width: 146 mm	Weight: 950 g	Retail box: 4	Art. no. 1020215	EAN 6 4 1 1 5 0 1 5 6 0 0 2 5
					Old art. no. -	



reddot award 2016  
winner

70% less shock – Unique anti-vibration system  
• Rip claw for easy nail pulls and dismantling  
• Nail starter for single-handed nail start

## Framing hammer XXL 22oz/16" milled

Height: 38 mm	Length: 410 mm	Width: 146 mm	Weight: 1020 g	Retail box: 4	Art. no. 1020216	EAN 6 4 1 1 5 0 1 5 6 0 0 3 2
					Old art. no. -	



reddot award 2016  
winner

70% less shock – Unique anti-vibration system  
• Rip claw for easy nail pulls and dismantling  
• Nail starter for single-handed nail start  
• Milled face for reducing mishits

## Club hammer M 3 lb/11"

Height: 57 mm	Length: 290 mm	Width: 121 mm	Weight: 1640 g	Retail box: 2	Art. no. 1020217	EAN 6 4 1 1 5 0 1 5 6 0 0 4 9
					Old art. no. -	



reddot award 2016  
winner

60% less shock – Unique anti-vibration system  
• Demolition head directs debris safely to the sides  
• Over strike protection

**Club hammer L 4 lb/14"**Art. no. **1020218**Height: **57 mm**Length: **360 mm**Width: **140 mm**Weight: **2180 g**Retail box: **2**

Old art. no. -

EAN



6 4 1 1 5 0 1 5 6 0 0 5 6

**reddot award 2016**  
winner

- 60% less shock – Unique anti-vibration system
- Demolition head directs debris safely to the sides
  - Over strike protection

**Sledgehammer L 8 lb/36"**Art. no. **1020219**Height: **76 mm**Length: **920 mm**Width: **159 mm**Weight: **4760 g**Retail box: **2**

Old art. no. -

EAN



6 4 1 1 5 0 1 5 6 0 0 6 3

**reddot award 2016**  
winner

- 50% less shock – Unique anti-vibration system
- Demolition head directs debris safely to the sides
  - Over strike protection

**Sledgehammer XL 10 lb/36"**Art. no. **1020164**Height: **83 mm**Length: **920 mm**Width: **178 mm**Weight: **5670 g**Retail box: **2**

Old art. no. -

EAN



6 4 1 1 5 0 1 5 6 0 0 7 0

**reddot award 2016**  
winner

- 50% less shock – Unique anti-vibration system
- Demolition head directs debris safely to the sides
  - Over strike protection

**Builder's axe XXL 8 lb/36"**Art. no. **1020220**Height: **76 mm**Length: **920 mm**Width: **203 mm**Weight: **5220 g**Retail box: **2**

Old art. no. -

EAN



6 4 1 1 5 0 1 5 6 0 0 8 7

**reddot award 2016**  
winner

- 50% less shock – Unique anti-vibration system
- Sharp splitting edge
  - Over strike protection

**Pick L 5 lb/36"**Art. no. **1020166**Height: **90 mm**Length: **910 mm**Width: **469 mm**Weight: **3400 g**Retail box: **2**

Old art. no. -

EAN



6 4 1 1 5 0 1 5 6 0 0 9 4

**reddot award 2016**  
winner

- 50% less shock – Unique anti-vibration system
- Sharp induction hardened digging mattock blade
  - Over strike protection



## Saws

<b>Builder's saw M 160 mm</b>					Art. no. <b>1020221</b>	EAN 6 4 1 1 5 0 1 5 6 0 1 2 4
Height: <b>34 mm</b>	Length: <b>400 mm</b>	Width: <b>85 mm</b>	Weight: <b>135 g</b>	Retail box: <b>4</b>	Old art. no. -	



- Fine toothing for cutting dry wood
- Blade can be easily stored inside the handle
- Cuts on the pull stroke

## Scissors

<b>Amplify™ scissors 21 cm</b>					Art. no. <b>1020224</b>	EAN 6 4 1 1 5 0 8 8 9 1 5 8 0
Height: <b>20 mm</b>	Length: <b>220 mm</b>	Width: <b>80 mm</b>	Weight: <b>124 g</b>	Retail box: <b>5</b>	Old art. no. -	



- Amplify™ power enhancing technology:
- Cut 2 x thicker materials
  - High-quality stainless steel blades; stay sharp longer
  - Cuts eg. cork board, leather, burlap or rope

<b>Amplify™ scissors 24 cm</b>					Art. no. <b>1020223</b>	EAN 6 4 1 1 5 0 8 8 9 1 6 8 9
Height: <b>20 mm</b>	Length: <b>250 mm</b>	Width: <b>90 mm</b>	Weight: <b>191 g</b>	Retail box: <b>5</b>	Old art. no. -	



- Amplify™ power enhancing technology:
- Cut 2 x thicker materials
  - High-quality stainless steel blades; stay sharp longer
  - Cuts eg. cork board, leather, burlap or rope

<b>Hardware scissors 25 cm</b>					Art. no. <b>1020478</b>	EAN 3 3 5 9 9 0 0 6 9 9 6 3 8
Height: <b>20 mm</b>	Length: <b>320 mm</b>	Width: <b>90 mm</b>	Weight: <b>156 g</b>	Retail box: <b>6</b>	Old art. no. -	



- High-quality stainless steel blades with wire cutting notch
- Ergonomic and durable design



# Hardware knives

To make cutting effective, your knife should always be as sharp as possible. That's why we integrated a high quality sharpener in the sheath. The sheath is available in all Fiskars hardware knives, so you'll always have it with you.

The handle has great ergonomics, and the innovation in the knives sheath allow both left and right handed use. The range consist of 5 different colour coded knives, covering all building tasks.



## ✓ Impact head

For deeper cuts.

## ✓ New ergonomics

Optimised shape, patent pending grip pattern.

## ✓ Integrated sharpener

Your knife will always be sharp.

## ✓ Easy to use

Easily extract the knife from its sheath due to the fully exposed handle.

# Knives

<b>Builder's knife with sharpener</b>					Art. no. <b>1023617</b>	EAN 6 4 1 1 5 0 1 5 6 0 1 6 2
Height: <b>21 mm</b>	Length: <b>211 mm</b>	Width: <b>40 mm</b>	Weight: <b>96 g</b>	Retail box: <b>12</b>	Old art. no. -	



- High quality blade that lasts longer
- Built-in, easy-to-use sharpener
- Sheath reversible for both handed use

<b>Universal knife with sharpener</b>					Art. no. <b>1023618</b>	EAN 6 4 1 1 5 0 1 5 6 0 1 7 9
Height: <b>21 mm</b>	Length: <b>215 mm</b>	Width: <b>40 mm</b>	Weight: <b>135 g</b>	Retail box: <b>8</b>	Old art. no. -	



- High quality blade that lasts longer
- Built-in, easy-to-use sharpener
- Sheath reversible for both handed use
- 3-component ergonomic handle (patent pending)

<b>Heavy duty knife with sharpener</b>					Art. no. <b>1023619</b>	EAN 6 4 1 1 5 0 1 5 6 0 1 8 6
Height: <b>21 mm</b>	Length: <b>219 mm</b>	Width: <b>40 mm</b>	Weight: <b>150 g</b>	Retail box: <b>8</b>	Old art. no. -	



- Stronger and thicker blade for heavy use
- Works also as deburring file
- Built-in, easy-to-use sharpener
- Sheath reversible for both handed use
- 3-component ergonomic handle (patent pending)

<b>Craftsman's knife with sharpener</b>					Art. no. <b>1023620</b>	EAN 6 4 1 1 5 0 1 5 6 0 1 9 3
Height: <b>21 mm</b>	Length: <b>209 mm</b>	Width: <b>40 mm</b>	Weight: <b>128 g</b>	Retail box: <b>8</b>	Old art. no. -	



- Shorter blade for more precision
- Built-in, easy-to-use sharpener
- Sheath reversible for both handed use
- 3-component ergonomic handle (patent pending)

<b>Carpenter's knife with sharpener</b>					Art. no. <b>1023621</b>	EAN 6 4 1 1 5 0 1 5 6 0 2 0 9
Height: <b>21 mm</b>	Length: <b>224 mm</b>	Width: <b>40 mm</b>	Weight: <b>148 g</b>	Retail box: <b>8</b>	Old art. no. -	



- High quality chisel blade
- Built-in, easy-to-use sharpener
- Sheath reversible for both handed use
- 3-component ergonomic handle (patent pending)







# Watering made easier than ever

Waterwheels [p.119](#)

Hoses [p.121](#)

Sprinklers [p.125](#)

Spray Nozzles [p.128](#)

Connectors [p.130](#)

Accessories [p.133](#)



# Waterwheels



**Waterwheel**  
with 15m reach

**Waterwheel M and L**  
with 21,5 m or 31,5 m reach

## Everything you need to get started

- ✓ All-in reel kit solution – reel includes everything needed for smooth watering.
- ✓ Convenient way to store accessories in reels due to accessory storage locker.

## Easy to use and store

- ✓ Waterwheels have an easy roll-out and wide operating area due to horizontal reel setting.
- ✓ Waterwheel 15m has a wall-mounting opportunity and it is light to move around (less than 3,5kg).
- ✓ Durable and light to handle hoses.
- ✓ Reel you do not need to hide – just leave it in to decorate your garden.

## Fully compatible with other brands

- ✓ All the parts are compatible with other watering brands products.



# Waterwheels

<b>Waterwheel M with 20m hose</b>					Art. no. <b>1023643</b>	EAN 6 4 1 1 5 0 1 5 1 0 1 6 7
Height: <b>56,6 cm</b>	Length: <b>39,8 cm</b>	Width: <b>25 cm</b>	Weight: <b>5,605 kg</b>	Retail box: <b>1</b>	Old art. no. -	



<b>S</b>	<b>M</b>
Garden size 0 – 150m <sup>2</sup>	Garden size 150 – 300m <sup>2</sup>

- All inclusive set with high quality 13mm 1/2" garden hose.
- Convenient reel cart for easy movement.
- Total reach up to 21,5 meters.
- Phthalate free.

<b>Waterwheel L with 30 m hose</b>					Art. no. <b>1023644</b>	EAN 6 4 1 1 5 0 1 5 1 0 1 7 4
Height: <b>56,6 cm</b>	Length: <b>39,8 cm</b>	Width: <b>25 cm</b>	Weight: <b>6,755 kg</b>	Retail box: <b>1</b>	Old art. no. -	



<b>M</b>	<b>L</b>
Garden size 150 – 300m <sup>2</sup>	Garden size 300 – 500m <sup>2</sup>

- All inclusive set with high quality 13mm 1/2" garden hose.
- Convenient reel cart for easy movement.
- Total reach up to 31,5 meters.
- Phthalate free.

<b>Waterwheel with 15m hose</b>					Art. no. <b>1020436</b>	EAN 6 4 1 1 5 0 1 5 1 0 0 0 6
Height: <b>44,4 cm</b>	Length: <b>39 cm</b>	Width: <b>16,1 cm</b>	Weight: <b>3,5 kg</b>	Retail box: <b>4</b>	Old art. no. -	




<b>S</b>
Garden size 0 – 150m <sup>2</sup>


- A compact all inclusive set.
- Light weight design for easy movement.
- Total reach 15 m, durable 9mm 3/8" hose.
- Horizontal design for easy movement around the garden.
- Phthalate free.

# Watering hoses




# Watering hoses


<b>Hose set premium Q4, 9mm (3/8") 15m</b>					Art. no. <b>1020447</b>	EAN  6 4 1 1 5 0 1 5 1 0 1 1 2
Height: <b>10,5 cm</b>	Length: <b>25,5 cm</b>	Width: <b>26 cm</b>	Weight: <b>1,61 kg</b>	Retail box: <b>3</b>	Old art. no. -	



- High quality, easy to handle hose.
- 2x water flow connectors.
- Extension connector.
- UV protected.
- Kink resistant.
- Phthalate free.





<b>Watering hose Q5, 13mm (1/2") 20m</b>					Art. no. <b>1023651</b>	EAN  6 4 1 1 5 0 1 5 1 0 2 3 5
Height: <b>6,5 cm</b>	Length: <b>39,5 cm</b>	Width: <b>39,5 cm</b>	Weight: <b>2,92 kg</b>	Retail box: <b>2</b>	Old art. no. -	



- Easy to handle, light weight hose.
- UV protected.
- Kink resistant.
- Phthalate free.




<b>Watering hose Q5, 13mm (1/2") 30m</b>					Art. no. <b>1023652</b>	EAN  6 4 1 1 5 0 1 5 1 0 2 4 2
Height: <b>10 cm</b>	Length: <b>39,5 cm</b>	Width: <b>39,5 cm</b>	Weight: <b>4,37 kg</b>	Retail box: <b>2</b>	Old art. no. -	



- Easy to handle, light weight hose.
- UV protected.
- Kink resistant.
- Phthalate free.




<b>Watering hose Q4, 13mm (1/2") 20m</b>					Art. no. <b>1023647</b>	EAN  6 4 1 1 5 0 1 5 1 0 2 0 4
Height: <b>6,5 cm</b>	Length: <b>39,5 cm</b>	Width: <b>39,5 cm</b>	Weight: <b>2,82 kg</b>	Retail box: <b>2</b>	Old art. no. -	



- Easy to handle, light weight hose.
- UV protected.
- Kink resistant.
- Phthalate free.



<b>Watering hose Q4, 13mm (1/2") 30m</b>					Art. no. <b>1023648</b>	EAN  6 4 1 1 5 0 1 5 1 0 2 1 1
Height: <b>10 cm</b>	Length: <b>39,5 cm</b>	Width: <b>39,5 cm</b>	Weight: <b>4,22 kg</b>	Retail box: <b>2</b>	Old art. no. -	



- Easy to handle, light weight hose.
- UV protected.
- Kink resistant.
- Phthalate free.



COMFORT

### Watering hose Q4, 13mm (1/2") 50m

Art. no. **1023650**

EAN



Height: **14,5 cm** Length: **39,5 cm** Width: **39,5 cm** Weight: **7,02 kg** Retail box: **2**

Old art. no. -



**XL**

Garden size  
> 500m<sup>2</sup>

- Easy to handle, light weight hose.
- UV protected.
- Kink resistant.
- Phthalate free.



### Watering hose Q4, 19mm (3/4") 20m

Art. no. **1023654**

EAN



Height: **11,5 cm** Length: **39,5 cm** Width: **39,5 cm** Weight: **4,72 kg** Retail box: **2**

Old art. no. -



**S**

Garden size  
0 – 150m<sup>2</sup>

**M**

Garden size  
150 – 300m<sup>2</sup>

- Easy to handle, light weight hose.
- UV protected.
- Kink resistant.
- Phthalate free.



### Watering hose Q4, 19mm (3/4") 50m

Art. no. **1023655**

EAN



Height: **27,5 cm** Length: **39,5 cm** Width: **39,5 cm** Weight: **11,77 kg** Retail box: **2**

Old art. no. -



**XL**

Garden size  
> 500m<sup>2</sup>

- Easy to handle, light weight hose.
- UV protected.
- Kink resistant.
- Phthalate free.



### Easy to select The right quality hose for your garden

#### Q3

**Twist resistancy level** ★★ ★

High quality 3-layer hose with cross enforcement.  
Twist resistant. UV protected.  
High pressure tested.  
Phthalate free.

#### Q4

**Twist resistancy level** ★★ ★ ★

High quality 3-layer hose with cross enforcement.  
Twist resistant. UV protected.  
High pressure tested.  
Phthalate free.

#### Q5

**Twist resistancy level** ★★ ★ ★ ★

High quality 3-layer hose with tricot enforcement.  
Twist resistant. UV protected.  
High pressure tested.  
Soft feel grip.  
Phthalate free.

Q3



Q4



Q5



### Watering hose Q3, 13mm (1/2") 20m

Height: <b>6,5 cm</b>	Length: <b>39,5 cm</b>	Width: <b>39,5 cm</b>	Weight: <b>2,52 kg</b>	Retail box: <b>2</b>
-----------------------	------------------------	-----------------------	------------------------	----------------------

Art. no. **1023645**

Old art. no. -



- Easy to handle, light weight hose.
- UV protected.
- Kink resistant.
- Phthalate free.



### Watering hose Q3, 13mm (1/2") 30m

Height: <b>10 cm</b>	Length: <b>39,5 cm</b>	Width: <b>39,5 cm</b>	Weight: <b>3,77 kg</b>	Retail box: <b>2</b>
----------------------	------------------------	-----------------------	------------------------	----------------------

Art. no. **1023646**

Old art. no. -



- Easy to handle, light weight hose.
- UV protected.
- Kink resistant.
- Phthalate free.



### Watering hose Q3, 19mm (3/4") 20m

Height: <b>11,5 cm</b>	Length: <b>39,5 cm</b>	Width: <b>39,5 cm</b>	Weight: <b>4,32 kg</b>	Retail box: <b>2</b>
------------------------	------------------------	-----------------------	------------------------	----------------------

Art. no. **1023653**

Old art. no. -



- Easy to handle, light weight hose.
- UV protected.
- Kink resistant.
- Phthalate free.



### Soaker Hose 15m

Height: <b>65 mm</b>	Length: <b>39 mm</b>	Width: <b>39 mm</b>	Weight: <b>1,80 kg</b>	Retail box: <b>2</b>
----------------------	----------------------	---------------------	------------------------	----------------------

Art. no. **1025935**

Old art. no. -



- 15 meter hose length
- Can be cut to right length
- Flow control valve for limiting water flow & pressure
- Saves up to 70% water



# Sprinklers



# Sprinklers

Fiskars sprinklers are easy to use and they cover garden sizes from small to XL, with a wide variety of easily adjustable spray areas.

## Easy to select spray patterns




### Whirling sprinkler, metal with wheels

Art. no. **1023657**

Height: **8 cm** Length: **23,5 cm** Width: **25,5 cm** Weight: **0,972 kg** Retail box: **6**

Old art. no. -

EAN



- Durable metal head.
- Universal fit – Fits with other brands.
- Wheels allow easy movement.


### Water saving sprinkler, metal base

Art. no. **1023661**

Height: **8,5 cm** Length: **52,7 cm** Width: **18,3 cm** Weight: **1,564 kg** Retail box: **6**

Old art. no. -

EAN



- Durable metal body.
- Ecological, watersaving.
- Easy to control.
- Easily adjustable spraying distance and direction.
- Universal fit – Fits with other brands.


### Impulse sprinkler, metal with wheels

Art. no. **1023656**

Height: **8 cm** Length: **23,5 cm** Width: **25,5 cm** Weight: **1,075 kg** Retail box: **6**

Old art. no. -

EAN



- Easily adjustable distance.
- Adjustable rotation to control watering area.
- Adjustable water spray.
- Durable metal head.
- Wheels allow easy movement.


### Oscillating sprinkler

Art. no. **1023659**

Height: **8,5 cm** Length: **48,5 cm** Width: **18,3 cm** Weight: **0,452 kg** Retail box: **6**

Old art. no. -

EAN



- Easily adjustable spraying distance and direction.
- 17 precision spray jets.
- Universal fit – Fits with other brands.

### Water saving sprinkler


Art. no. **1023662**

EAN



Height: **8,5 cm** Length: **50,7 cm** Width: **18,3 cm** Weight: **0,66 kg** Retail box: **6**

Old art. no. -



- Ecological, watersaving.
- Easy to control.
- Easily adjustable spraying distance and direction.
- Universal fit – Fits with other brands.

### Oscillating sprinkler, metal base


Art. no. **1023660**

EAN



Height: **8,5 cm** Length: **52,7 cm** Width: **18,3 cm** Weight: **0,806 kg** Retail box: **6**

Old art. no. -



- Easily adjustable spraying distance and direction.
- 19 precision spray jets.
- Durable metal base.
- Universal fit – Fits with other brands.

### Impulse sprinkler, metal


Art. no. **1023658**

EAN



Height: **6,6 cm** Length: **19,5 cm** Width: **36 cm** Weight: **0,52 kg** Retail box: **6**

Old art. no. -



- Easily adjustable distance.
- Adjustable rotation to control watering area.
- Adjustable waterspray.
- Universal fit – Fits with other brands.
- Durable metal head and foot.

### Stationary sprinkler round


Art. no. **1023663**

EAN



Height: **4,21 cm** Length: **11,5 cm** Width: **17,5 cm** Weight: **0,482 kg** Retail box: **6**

Old art. no. -



- Metal body.
- Rust resistant.
- Universal fit – Fits with other brands.

### Stationary sprinkler square


Art. no. **1023664**

EAN



Height: **4,21 cm** Length: **11,5 cm** Width: **17,5 cm** Weight: **0,494 kg** Retail box: **6**


Old art. no. -



- Metal body.
- Rust resistant.
- Universal fit – Fits with other brands.



# Spray nozzles





# Spray nozzles

Fiskars spray guns feature an ergonomic design, with soft-grip handles providing added stability for any watering task. They are easy to use and offer a variety of different spray patterns, with infinitely adjustable flow. All our spray guns have a universal fit, and can be used with watering products by other brands.

## Spray gun 4-functional

Art. no. **1020446**

EAN



Height: **7,6 cm** Length: **22,2 cm** Width: **24,1 cm** Weight: **0,245 kg** Retail box: **4**

Old art. no. -



- 4 different spray patterns and infinitely adjustable flow.
- Comfortable Softgrip™ handle.
- Convenient hook for easy hanging.
- Universal fit – Fits with other brands.

## Spray gun multi


Art. no. **1023665**

EAN



Height: **5,5 cm** Length: **22 cm** Width: **24 cm** Weight: **0,215 kg** Retail box: **4**

Old art. no. -



- Infinitely adjustable spray pattern and flow.
- Comfortable Softgrip™ handle.
- Convenient hook for easy hanging.
- Universal fit – Fits with other brands.

## Spray gun

Art. no. **1020445**

EAN



Height: **4,4 cm** Length: **22,2 cm** Width: **24,1 cm** Weight: **0,192 kg** Retail box: **4**

Old art. no. -



- Infinitely adjustable spray pattern and flow.
- Comfortable Softgrip™ handle.
- Convenient hook for easy hanging.
- Universal fit – Fits with other brands.

## Adjustable nozzle spray gun

Art. no. **1020444**

EAN



Height: **3,6 cm** Length: **10,5 cm** Width: **24,5 cm** Weight: **0,1 kg** Retail box: **8**

Old art. no. -



- Infinitely adjustable spray pattern.
- Comfortable Softgrip™ handle.
- Universal fit – Fits with other brands.



# Connectors



# Connectors

## Quick hose connector STOP 9mm 3/8"

Art. no. **1020440**

EAN



Height: <b>3,5 cm</b>	Length: <b>10,2 cm</b>	Width: <b>11,6 cm</b>	Weight: <b>0,046 kg</b>	Retail box: <b>8</b>
-----------------------	------------------------	-----------------------	-------------------------	----------------------

Old art. no. -



- With water stop.
- Softgrip™.
- Universal fit – Fits with other brands.

## Quick hose connector 9mm 3/8"

Art. no. **1020441**

EAN



Height: <b>3,5 cm</b>	Length: <b>10,2 cm</b>	Width: <b>11,6 cm</b>	Weight: <b>0,045 kg</b>	Retail box: <b>8</b>
-----------------------	------------------------	-----------------------	-------------------------	----------------------

Old art. no. -



- Softgrip™.
- Universal fit – Fits with other brands.

## Quick hose connector STOP 13-15mm 1/2"-5/8"

Art. no. **1020450**

EAN



Height: <b>3,6 cm</b>	Length: <b>10,2 cm</b>	Width: <b>11,6 cm</b>	Weight: <b>0,046 kg</b>	Retail box: <b>8</b>
-----------------------	------------------------	-----------------------	-------------------------	----------------------

Old art. no. -



- With water stop.
- Softgrip™.
- Universal fit – Fits with other brands.

## Quick hose connector 13-15mm 1/2"-5/8"

Art. no. **1020451**

EAN



Height: <b>3,6 cm</b>	Length: <b>10,2 cm</b>	Width: <b>11,6 cm</b>	Weight: <b>0,045 kg</b>	Retail box: <b>8</b>
-----------------------	------------------------	-----------------------	-------------------------	----------------------

Old art. no. -



- Softgrip™.
- Universal fit – Fits with other brands.

## Quick hose connector STOP solid 13-15mm 1/2"-5/8"

Art. no. **1023666**

EAN



Height: <b>3,5 cm</b>	Length: <b>10,1 cm</b>	Width: <b>11,5 cm</b>	Weight: <b>0,04 kg</b>	Retail box: <b>8</b>
-----------------------	------------------------	-----------------------	------------------------	----------------------

Old art. no. -



- With water stop.
- Universal fit – Fits with other brands.

**Quick hose connector solid 13-15mm 1/2"-5/8"**Art. no. **1023667**Height: **3,5 cm** Length: **10,1 cm** Width: **11,5 cm** Weight: **0,039 kg** Retail box: **8**

Old art. no. -

EAN



- Universal fit – Fits with other brands.

**Quick hose connector 19mm 3/4"**Art. no. **1023670**Height: **3,5 cm** Length: **10,1 cm** Width: **11,5 cm** Weight: **0,053 kg** Retail box: **8**

Old art. no. -

EAN



- Softgrip™.
- Universal fit – Fits with other brands.

**Quick hose connector STOP 19mm 3/4"**Art. no. **1023671**Height: **3,5 cm** Length: **10,1 cm** Width: **11,5 cm** Weight: **0,056 kg** Retail box: **8**

Old art. no. -

EAN



- With water stop.
- Softgrip™.
- Universal fit – Fits with other brands.

**Hose repairer 13-15mm 1/2"-5/8"**Art. no. **1023668**Height: **3,5 cm** Length: **10,1 cm** Width: **11,5 cm** Weight: **0,055 kg** Retail box: **8**

Old art. no. -

EAN



- Durable construction.
- Universal fit – Fits with other brands.

**Hose repairer 19mm 3/4"**Art. no. **1023669**Height: **3,5 cm** Length: **10,1 cm** Width: **11,5 cm** Weight: **0,069 kg** Retail box: **8**

Old art. no. -

EAN



- Durable construction.
- Universal fit – Fits with other brands.

### Tap connector threaded MULTI

Art. no. **1020438**

EAN



Height: **3,8 cm** Length: **10,2 cm** Width: **11,6 cm** Weight: **0,038 kg** Retail box: **8**

Old art. no. -



- Universal fit – Fits with other brands.
- Fits with 1/2", 3/4" and 1" threads.

### Tap connector threaded male 13mm 1/2"

Art. no. **1020439**

EAN



Height: **2,1 cm** Length: **10,2 cm** Width: **11,6 cm** Weight: **0,017 kg** Retail box: **8**

Old art. no. -



- Durable.
- Universal fit – Fits with other brands.

### Extension connector

Art. no. **1020442**

EAN



Height: **3 cm** Length: **10,2 cm** Width: **11,6 cm** Weight: **0,022 kg** Retail box: **8**

Old art. no. -



- Durable.
- Universal fit – Fits with other brands.

### 3-way connector

Art. no. **1020443**

EAN



Height: **2 cm** Length: **10,2 cm** Width: **11,6 cm** Weight: **0,03 kg** Retail box: **8**

Old art. no. -



- Durable.
- Universal fit – Fits with other brands.

## Accessories

Complement your watering set with our easy-to-use accessories, for added convenience in storing and spraying.

<b>Tank sprayer 5L</b>					Art. no. <b>1025934</b>	EAN 6 4 1 1 5 0 1 5 1 0 6 2 4
Height: <b>495 mm</b>	Length: <b>185 mm</b>	Width: <b>185 mm</b>	Weight: <b>1,50 kg</b>	Retail box: <b>4</b>	Old art. no. -	



- Adjustable spray from direct jet to soft mist.
- 3 L Net capacity & 5.8 L maximum capacity.
- Safety valve to ensure 3bar pressure is not exceeded.
- Shoulder strap for convenient carrying.
- Filter included

<b>Wall mount for Waterwheel</b>					Art. no. <b>1020448</b>	EAN 6 4 1 1 5 0 1 5 1 0 1 2 9
Height: <b>3 cm</b>	Length: <b>9,5 cm</b>	Width: <b>25 cm</b>	Weight: <b>0,65 kg</b>	Retail box: <b>4</b>	Old art. no. -	



- A convenient wall mount with a quick and easy installing mechanism.

<b>Sprayer support</b>					Art. no. <b>1020449</b>	EAN 6 4 1 1 5 0 1 5 1 0 1 3 6
Height: <b>2,1 cm</b>	Length: <b>12 cm</b>	Width: <b>24,1 cm</b>	Weight: <b>0,07 kg</b>	Retail box: <b>8</b>	Old art. no. -	



- Use the sprayer support to water a specific area for a longer time.

<b>Sprinkler adapter 1 pcs</b>					Art. no. <b>1024090</b>	EAN 6 4 1 1 5 0 1 5 1 0 4 6 4
Height: <b>3,8 cm</b>	Length: <b>7,4 cm</b>	Width: <b>11,4 cm</b>	Weight: <b>0,015 kg</b>	Retail box: <b>6</b>	Old art. no. -	



- Fits with all Fiskars sprinklers.



<b>O-rings for sprinklers 4 pcs</b>					Art. no. <b>1024091</b>	EAN 6 4 1 1 5 0 1 5 1 0 4 7 1
Height: <b>1,6 cm</b>	Length: <b>7,4 cm</b>	Width: <b>11,4 cm</b>	Weight: <b>0,015 kg</b>	Retail box: <b>6</b>	Old art. no. -	



- Fits all Fiskars sprinklers with or without adapter.

<b>Filter for sprinklers 2 pcs</b>					Art. no. <b>1024092</b>	EAN 6 4 1 1 5 0 1 5 1 0 4 8 8
Height: <b>1,6 cm</b>	Length: <b>7,4 cm</b>	Width: <b>11,5 cm</b>	Weight: <b>0,022 kg</b>	Retail box: <b>6</b>	Old art. no. -	



- If needed to clean the water.
- Fits with all Fiskars sprinklers.

<b>O-rings for connectors 4 pcs</b>					Art. no. <b>1024093</b>	EAN 6 4 1 1 5 0 1 5 1 0 4 9 5
Height: <b>1,6 cm</b>	Length: <b>7,4 cm</b>	Width: <b>11,6 cm</b>	Weight: <b>0,015 kg</b>	Retail box: <b>6</b>	Old art. no. -	



- Fits with all Fiskars watering spray guns and connectors.

<b>Tap connector 1/2" solid 1 pc (LB min 30)</b>					Art. no. <b>1025750</b>	EAN 6 4 1 1 5 0 1 5 1 0 5 1 8
Height: <b>9,5 cm</b>	Length: <b>19,5 cm</b>	Width: <b>12,5 cm</b>	Weight: <b>0,37 kg</b>	Retail box: <b>30 pcs</b>	Old art. no. -	



**x30**



- Table display containing 30 pcs of 1/2" tap connectors.

<b>Tap connector 3/4" solid 1 pc (LB min 30)</b>					Art. no. <b>1025751</b>	EAN 6 4 1 1 5 0 1 5 1 0 5 4 9
Height: <b>9,5 cm</b>	Length: <b>19,5 cm</b>	Width: <b>12,5 cm</b>	Weight: <b>0,37 kg</b>	Retail box: <b>30 pcs</b>	Old art. no. -	



**x30**



- Table display containing 30 pcs of 3/4" tap connectors.

**Quick h connector stop sol 1/2"-5/8" 1 pc (LB min 30)**Art. no. **1025752**Height: **19,5 cm**Length: **19,5 cm**Width: **12,5 cm**Weight: **1,15 kg**Retail box: **30 pcs**

Old art. no. -

EAN

**x30**

- Table display containing 30 pcs of 1/2" - 5/8" Quick hose connector stop.

**Quick hose connector sol 1/2"-5/8" 1 pc (LB min 30)**Art. no. **1025753**Height: **19,5 cm**Length: **19,5 cm**Width: **12,5 cm**Weight: **1,15 kg**Retail box: **30 pcs**

Old art. no. -

EAN

**x30**

- Table display containing 30 pcs of 1/2" - 5/8" Quick hose connector.



# Maintenance



# Maintenance & spare parts

<b>Maintenance Kit</b>					Art. no. <b>1001640</b>	EAN 6 4 1 1 5 0 1 9 6 9 9 0 3
Height: -	Length: <b>104 mm</b>	Width: <b>197 mm</b>	Weight: <b>135 g</b>	Retail box: <b>4</b>	Old art. no. <b>110990</b>	



- For regular maintenance chores of our Fiskars garden tools.
- Includes a maintenance guidebook, diamond file and oil.
- Instructions on sharpening, oiling, washing, storage etc. is detailed in pictures and symbols.

<b>Handle kit for Pruning Saw SW240 &amp; SW330</b>					Art. no. <b>1020202</b>	EAN 6 4 1 1 5 0 1 2 3 3 3 2 5
Height: -	Length: -	Width: -	Weight: -	Retail box: <b>4</b>	Old art. no. <b>123332</b>	



- Handle kit for
- SW-330 (article No. 1020199) and
  - SW-240 (article No. 1020200)
  - Sturdy grip with Softgrip™
  - Screw and nut

<b>Scabbard kit for Pruning Saw SW240 &amp; SW330</b>					Art. no. <b>1020201</b>	EAN 6 4 1 1 5 0 1 2 3 3 3 1 8
Height: -	Length: -	Width: -	Weight: -	Retail box: <b>4</b>	Old art. no. <b>123331</b>	



- Scabbard kit for
- SW-330 (article No. 1020199) and
  - SW-240 (article No. 1020200)
  - Scabbard with left- and right-side mounting
  - Usable with WoodXpert tool belt (Article No. 1003626)

<b>Curved replacement blade (CC33)</b>					Art. no. <b>1020193</b>	EAN 6 4 1 1 5 0 1 2 3 3 3 6 3
Height: -	Length: -	Width: -	Weight: -	Retail box: <b>4</b>	Old art. no. <b>123336</b>	



- Replacement blade for
- SW-330 (article No. 1020199) and
  - SW-240 (article No. 1020200)
  - General cutting, fast pruning with fewer strokes
  - Pitch of teeth 4 mm

<b>Straight replacement blade (SC33)</b>					Art. no. <b>1020195</b>	EAN 6 4 1 1 5 0 1 2 3 3 3 7 0
Height: -	Length: -	Width: -	Weight: -	Retail box: <b>4</b>	Old art. no. <b>123337</b>	



- Replacement blade for
- SW-330 (article No. 1020199) and
  - SW-240 (article No. 1020200)
  - Felling cuts
  - Pitch of teeth 4 mm



### Straight replacement blade (SF33)

Art. no. **1020197**

EAN



Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. **123338**



- Replacement blade for
- SW-330 (article No. 1020199) and
  - SW-240 (article No. 1020200)
  - Fruit trees and trees with loose bark
  - Pitch of teeth 2,5 mm

### Curved replacement blade (CC24)

Art. no. **1020194**

EAN



Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. **123246**



- Replacement blade for
- SW-330 (article No. 1020199) and
  - SW-240 (article No. 1020200)
  - General cutting
  - Pitch of teeth 4 mm

### Straight replacement blade (SC24)

Art. no. **1020196**

EAN



Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. **123247**



- Replacement blade for
- SW-330 (article No. 1020199) and
  - SW-240 (article No. 1020200)
  - Root cuts
  - Pitch of teeth 4 mm

### Straight replacement blade (SF24)

Art. no. **1020198**

EAN



Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. **123248**



- Replacement blade for
- SW-330 (article No. 1020199) and
  - SW-240 (article No. 1020200)
  - Fruit trees and trees with loose bark
  - Pitch of teeth 2,5 mm

### Spare Blade for Bow Saw SW30

Art. no. **1001706**

EAN



Height: - Length: - Width: - Weight: - Retail box: **5**

Old art. no. **124807**



- Replacement blade for
- 21" Bow Saw SW30 (article No. 1001621)



**Spare Blade for Bow Saw SW31**Art. no. **1001707**Height: - Length: - Width: - Weight: - Retail box: **5**Old art. no. **124817**

EAN

Replacement blade for  
• 24" Bow Saw SW31 (article No. 1000615)**Blade, spring, screw PX92**Art. no. **1026275**Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. -

EAN

Blade, spring, screw for product  
• PGX Pruner bypass M PX92 (article No. 1023630)**Blade, spring, screw PX93**Art. no. **1026276**Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. -

EAN

Blade, spring, screw for product  
• PGX Pruner anvil L PX93 (article No. 1023629)**Blade, spring, screw PX94**Art. no. **1026277**Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. -

EAN

Blade, spring, screw for product  
• PGX Pruner bypass L PX94 (article No. 1023628)**Blade, spring, bolt, screw P90**Art. no. **1026278**Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. -

EAN

Blade, spring, bolt, screw for product  
• Pro Pruner P90 (article No. 1001530)

### Blade, spring, screw P100

Art. no. **1026279**

EAN



Height: - Length: - Width: - Weight: - Retail box: **4** Old art. no. -



Blade, spring, screw for product  
 • Quantum Pruner bypass P100 (article No. 1001434)

### Blade, lock, screw kit PB8 M & L

Art. no. **1026280**

EAN



Height: - Length: - Width: - Weight: - Retail box: **4** Old art. no. -



Blade, lock, screw kit for products  
 • Pro Tools Pruner PB8 M (article No. 1020204), and  
 • Pro Tools Pruner PB8 L (article No. 1020203)

### Blade kit PTFE PB8 M & L

Art. no. **1026281**

EAN



Height: - Length: - Width: - Weight: - Retail box: **4** Old art. no. -



Blade kit PTFE for products  
 • Pro Tools Pruner PB8 M (article No. 1020204), and  
 • Pro Tools Pruner PB8 L (article No. 1020203)

### Handle kit PB8 M

Art. no. **1026282**

EAN



Height: - Length: - Width: - Weight: - Retail box: **4** Old art. no. -



Handle kit for product  
 • Pro Tools Pruner PB8 M (article No. 1020204)

### Handle kit PB8 L

Art. no. **1026283**

EAN



Height: - Length: - Width: - Weight: - Retail box: **4** Old art. no. -



Handle kit for product  
 • Pro Tools Pruner PB8 L (article No. 1020203)

**Blade, screws L102, L72, L76**Art. no. **1026284**Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. -

EAN



Blade, screws for products

- Quantum Lopper bypass Scissor S L102 (article No. 1001436),
- PowerGear Lopper bypass Scissor S L72 (article No. 1001555), and
- PowerGear Lopper bypass Scissor M L76 (article No. 1001553)

**Blade, screws L104, L108, LX94, LX98, L78, L94, L98**Art. no. **1026285**Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. -

EAN



Blade, screws for products

- Quantum Lopper bypass M L104 (article No. 1001438) and bypass L L108 (article No. 1001435),
- PGX Lopper bypass M LX94 (article No. 1020187) and bypass L LX98 (article No. 1020188),
- PowerGear Lopper bypass Hook L L78 (article No. 1000584),
- PowerGear Steel Lopper bypass M L94 (article No. 1001549) and bypass L L98 (article No. 1001548)

**Blades anvil, screw L109, LX99, L93, L99**Art. no. **1026286**Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. -

EAN



Blades anvil, screw for products

- Quantum Lopper anvil L L109 (article No. 1001437),
- PGX Lopper anvil L LX99 (article No. 1020189),
- PowerGear Steel Lopper Anvil M L93 (article No. 1001550), and
- PowerGear Steel Lopper Anvil L L99 (article No. 1001547)

**Blade, screw L70, L74, L90, L92, LX92**Art. no. **1026288**Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. -

EAN



Blade, screw for products

- PowerGear Lopper bypass Hook Head S L70 (article No. 1002104),
- PowerGear Lopper bypass Hook M L74 (article No. 1000582),
- PowerGear Steel Steel Lopper bypass XS L90 (article No. 1001552),
- PowerGear Steel Lopper bypass S L92 (article No. 1001551), and
- PGX Lopper bypass S LX92 (article No. 1020186)

**Blades, anvil, screw L71**Art. no. **1026290**Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. -

EAN



Blades, anvil, screw for product

- PowerGear Lopper anvil S L71 (article No. 1001556)

### Blades, anvil, screw L77

Art. no. **1026292**

EAN



Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. -



Blades, anvil, screw for product  
 • PowerGear Lopper anvil L L77 (article No. 1000583)

### Blade, spring, chain link for tree pruners

Art. no. **1026293**

EAN



Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. -



Blade, spring, chain link for products  
 • PowerGear™ Tree pruners UP82 (article No. 1001558) / UP84 (article No. 1001557) / UP86 (article No. 1000598)  
 • PowerGear™ X Tree pruners UPX82 (article No. 1023625) / UPX86 (article No. 1023624)

### Spare cutting head, UPX82, UPX86

Art. no. **1026295**

EAN



Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. -



Spare cutting head for products  
 • PGX Tree pruner UPX82 (article No. 1023625), and  
 • PGX Telescopic Tree pruner UPX86 (article No. 1023624)

### Handle and rope set UPX86

Art. no. **1026296**

EAN



Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. -



Handle and rope set for product  
 • PGX Telescopic tree pruner UPX86 (article No. 1023624)

### Handle and rope set UPX82

Art. no. **1026297**

EAN



Height: - Length: - Width: - Weight: - Retail box: **4**

Old art. no. -



Handle and rope set for product  
 • PGX Tree pruner UPX82 (article No. 1023625)

**QuikDrill™ PlusPart S**Art. no. **1000637**Height: - Length: **145 mm** Width: **100 mm** Weight: **150 g** Retail box: **2**Old art. no. **134717**

EAN



Spare blades for

- QuikDrill™ Garden Drill S (article No. 1000636)
- Working diameter 100 mm.

**QuikDrill™ PlusPart M**Art. no. **1000639**Height: - Length: **185 mm** Width: **120 mm** Weight: **320 g** Retail box: **2**Old art. no. **134727**

EAN



Spare blades for

- QuikDrill™ Garden Drill M (article No. 1000638)
- Working diameter 150 mm.

**QuikDrill™ PlusPart L**Art. no. **1000641**Height: - Length: **220 mm** Width: **150 mm** Weight: **580 g** Retail box: **2**Old art. no. **134737**

EAN



Spare blades for

- QuikDrill™ Garden Drill L (article No. 1000640)
- Working diameter 200 mm.











# Which tool for which task

## PRUNERS



**SingleStep™ pruners**  
1000567



**Fingerloop pruners**  
1001534



**PowerLever™ pruners**  
1001531



**PowerGearX™ Pruner Bypass** 1023630



**PowerGear™ X Tree pruner**  
1023625

## UNIVERSAL CUTTERS

Universal cutters help you reach difficult spots.

## LOPPERS

Loppers are particularly suited for cutting thicker branches.



**PowerGear™II Lopper S**  
1000581



**PowerGear™X Lopper M**  
1020187



**PowerGear™X Lopper L**  
1020188

## AXES AND SAWS

The saw is particularly suited for removing thick (over Ø 5 cm) branches.


An axe is good for cutting the thickest branches and splitting firewood.



**Xtract™ Garden Saw L**  
1000614



**Splitting Axe X25**  
1015643







Fiskars has been a part of the evolution of tools since 1649. Our scissors have cut millions of meters of fabrics. Our axes have worked millions of trunks. Our knives have cut millions of slices of bread. Our pans have fried millions of carefully marinated steaks – all with a superior outcome.

COOKING | **GARDENING** | CRAFTING | SEWING | SCHOOL & OFFICE